

Index

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

A

Acalypha

Accident or spill emergency kit [7-3-17](#)
treatment schedule, see also Pesticide spills

Acalypha, treatment T570-1 [5-6-20](#)

Achimenes, treatment T553-1 [5-6-15](#)

Aconitum, treatment T570-2 [5-6-20](#)

Acorns, treatment T302-g-1 [5-4-8](#)

Acronyms and abbreviations [9-1-1](#) to [9-1-3](#)

Actinidia

treatment T553-1 [5-6-15](#)

Aeration

chamber fumigation [2-5-4](#) to [2-5-7](#)
determining when to release the
commodity [2-4-33](#) to [2-4-40](#), [2-5-5](#) to [2-5-7](#)
materials needed [2-4-30](#)
normal atmospheric pressure chambers [2-5-5](#) to [2-5-6](#)
of fruits, vegetables, and cut flowers [2-4-35](#) to [2-4-36](#)
of nonsorptive, containerized cargo [2-4-32](#)
of nonsorptive, noncontainerized cargo [2-4-33](#) to [2-4-34](#)
of sorptive, containerized commodities [2-4-38](#) to [2-4-40](#)
of sorptive, noncontainerized cargo [2-4-36](#) to [2-4-38](#)
phosphine [2-10-7](#)
procedure determination [2-5-4](#)
requirements for [2-4-6](#)
responsibility for
chamber fumigation [2-5-4](#)
ship fumigation [2-6-12](#)
structure fumigation [2-7-15](#)
tarpaulin fumigation [2-4-29](#)
ship fumigation [2-6-13](#) to [2-6-14](#)
structure fumigation [2-7-15](#) to [2-7-16](#)
tarpaulin fumigation
methyl bromide [2-4-29](#) to [2-4-40](#)
vacuum fumigation chambers [2-5-6](#)
wearing respiratory protection [2-4-31](#)

Aerosols

application of [2-11-1](#)
dosages [2-11-1](#)
safety precautions [2-11-4](#)

Aframomum melegueta [5-2-27](#), [5-2-28](#)

Agapanthus, treatment T553-1 [5-6-15](#)

Agriolimacidae, treatment T201-l [5-3-6](#)

Air purifying respirators [8-1-12](#)
see also Respiratory protection

Air velocity measuring instruments
anemometer [8-1-26](#)
velometer [8-1-27](#)

Aircraft, application of micronized dusts [2-11-2](#) to [2-11-3](#)

Aircraft, treatment T409-a [5-5-26](#) to [5-5-29](#)

Alarm systems, requirements for hot water immersion treatment [3-3-12](#)

Aleurocanthus woglumi, fruit treatment schedule [5-2-25](#), [5-3-12](#)

Alfalfa, treatment T520-1-1 [5-6-14](#)

Allium

schoenoprasum [5-2-27](#), [5-2-28](#)
treatment T552-1 [5-6-14](#)
tuberosum [5-2-27](#), [5-2-28](#)

Allspice [5-2-27](#), [5-2-28](#)

Aloe, treatment T553-1 [5-6-15](#)

Alpha grass, treatment T303-a&b [5-4-14](#)

Aluminum phosphide

measurement of phosphine [8-1-23](#)
see also Phosphine
threshold limit value for phosphine [8-1-12](#)
use in atmospheric fumigation chambers [6-3-2](#)

Amaryllis, treatment T552-1 [5-6-14](#), [5-6-18](#)

American Bureau of Shipping [6-4-2](#)

- Amorphophallus*
treatment T553-1 5-6-15
- Ampelodesma mauriticus* 5-4-14
- Ampelopsis*, treatment T553-1 5-6-15
- Amphulariidae*, treatment T201-q 5-3-3
- Anastrepha ludens*, treatment T106-a-1 5-2-69
- Anastrepha* spp. 5-2-18, 5-2-25
- Anastrepha* spp.
methyl bromide fumigation treatment
schedule 5-2-36
vapor heat treatment schedules 5-2-69
- Anchusa*, treatment T553-2 5-6-15
- Anemometer 8-1-26
- Anemone*, treatment T553-1 5-6-15
- Anethum graveolens* 5-2-27, 5-2-28
- Angelica*
archangelica 5-2-27, 5-2-28
- Animal and Plant Health Inspection Service 2-3-2,
3-3-3
financing of commercial ventures 6-5-10
preclearance program for foreign treatment
facilities 6-5-5 to 6-5-10
preclearance program for vessels used for intran-
sit cold treatment 6-4-2 to 6-4-4
- Anise 5-2-27, 5-2-28
seed 5-2-27, 5-2-28
star 5-2-27, 5-2-28
- Annatto 5-2-27, 5-2-28
- Annual marjoram 5-2-27, 5-2-28
- Anthemis nobilis* 5-2-27, 5-2-28
- Anthonomus grandis*
treatment T301-d-1-1, 301-d-1-2 5-4-4
- Anthriscus cerefolium* 5-2-27, 5-2-28
- Ants
treatment schedules for nonplant
products 5-5-40
- Aphelenchoides besseyi*
treatment T564-1 5-6-18
- Aphelenchoides subtenuis*
treatment T565-2 5-6-18
- Aphids, treatment T201-g-1, T201-g-3 5-3-5
- APHIS, **see** Animal and Plant Health Inspection Ser-
vice
- Apicum graveolens* 5-2-27, 5-2-28
- Apple
maximum loading temperature 3-7-9
T101-a-1 methyl bromide fumigation treatment
schedule 5-2-3
T104-a-1 5-2-58
T107-a cold treatment schedule 5-2-77
T107-b cold treatment schedule 5-2-78
T107-c cold treatment schedule 5-2-78
T107-d cold treatment schedule 5-2-78
T108-a fumigation plus cold treatment 5-2-81
T108-b MB at NAP — tarpaulin or chamber fol-
lowed by cold treatment 5-2-83
- Application of manual 1-1-3
- Apricot
T104-a-1 5-2-58
T107-a cold treatment schedule 5-2-77
T107-b cold treatment schedule 5-2-78
T107-c cold treatment schedule 5-2-78
T107-e cold treatment schedule 5-2-79
T108-a fumigation plus cold treatment 5-2-81
treatment T101-a-3 5-2-3
- Aquatic plants
treatment T201-q 5-3-3
- Arionidae
treatment T201-l
MB (“Q” label only) at NAP—tarpaulin or
chamber 5-3-6
- Armoracea
treatment T553-3 5-6-15
- Artemisia*
absinthium 5-2-27, 5-2-28
dracunculus 5-2-27, 5-2-28
- Ascarite
use in T/C units 8-1-3, 8-1-6
- Ascochyta
treatment T513-1 5-6-11
- Asparagus 5-2-3, 5-2-4, 5-2-32
T104-a-1 5-2-58
- Asphalt surfaces
effect of malathion sprays 2-6-5
treatment T402-b-3-2 5-5-3
- Astilbe roots, treatment T202-b 5-3-20
- Astilbe spp.
treatment T553-1 5-6-15
treatment T553-2 5-6-15
treatment T564-1 5-6-18

Atmospheric fumigation chambers

- approval process 6-3-2
- auxiliary equipment 6-3-5
- chamber 6-3-2
- circulation and exhaust systems 6-3-3
- forced-air circulation plan 6-3-9
- fumigant dispensing system 6-3-4
- gas-tight construction 6-3-3
- generalized plan 6-3-7, 6-3-8
- pressure-leakage test 6-3-4 to 6-3-5
- U tube manometer 6-3-4 to 6-3-5, 6-3-6, 8-1-28 to 8-1-30

Australia

- asparagus treatment schedule 5-2-4

Automobiles

- treatment schedule for golden nematode contamination 5-5-19

Auxiliary pump 8-1-27 to 8-1-28

- illustration 8-1-28

Avocado 5-2-58, 5-2-77

- countries prohibited from exporting to the United States 5-2-86
- T108-a fumigation plus cold treatment 5-2-81
- treatment T101-c-1 5-2-4
- treatment T203-m 5-3-26

Azalea

- treatment T201-a-2 5-3-7
- treatment T501-1 5-6-3

Azaleodendron

- treatment T501-2
- Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bordeaux dip or spray. 5-6-3

B***B. hirta* 5-2-27, 5-2-28*****B. nigra* 5-2-27, 5-2-28*****Bactrocera cucurbitae***

- high temperature forced air treatment schedule 5-2-51 to 5-2-56
- methyl bromide fumigation treatment schedule 5-2-4
- vapor heat treatment schedules 5-2-69 to 5-2-75

***Bactrocera dorsalis* 5-2-48**

- high temperature forced air treatment schedule 5-2-51 to 5-2-56
- methyl bromide fumigation treatment schedule 5-2-4
- vapor heat treatment schedules 5-2-69 to 5-2-75
- water treatment schedule 5-2-48

Bactrocera tryoni

- fumigation followed by cold treatment schedule 5-2-82

Bags and bagging material

- treatment T306
- Bags and Bagging Material, Covers 5-4-16 to 5-4-18
- treatment T503-1-1
- Soak in formaldehyde for 1 hour, 1 pint of commercial formaldehyde to 10 gallons of water. 5-6-5

Baled hay

- treatment T311
- Phosphine at NAP 5-4-25

Baled straw

- treatment schedule 3-4-2

Balm 5-2-27, 5-2-28**Banana roots**

- treatment T202-c 5-3-21

Bananas 5-2-58

- treatment T101-d-1 5-2-4

Barges

- treatment schedule for golden nematode contamination 5-5-19

Baris lepidii

- treatment T101-l-2 5-2-28

Basil 5-2-27, 5-2-28**Batch system 3-3-4****Bay leaf 5-2-27, 5-2-28****Beans 5-2-58**

- methyl bromide fumigation treatment schedule 5-2-25 to 5-2-26
- treatment T101-e-1 5-2-5

Beets 5-2-58

- treatment T101-g-1 5-2-5

Begonia

- treatment T553-1 5-6-15
- treatment T559-1 5-6-17

Belize

- papaya treatment T103-d-2
- High temperature forced air 5-2-55 to 5-2-56

Bell peppers

- treatment T106-b-1
- Vapor heat 5-2-69

Berberis

- treatment T201-a-2 5-3-7

- Black currants**
countries prohibited from exporting to the United States 5-2-86
- Blackberries** 5-2-58
treatment T101-h-1
MB at NAP—tarpaulin or chamber 5-2-6
- Bletilla hyacinthina**
treatment T553-1 5-6-15
- Bletilla hyacinthina*
treatment T564-1 5-6-18
- Blowers**
see Fans
- Blueberries** 5-2-58
treatment T101-i-1 5-2-6
- Boilers**
requirements for hot water immersion
treatment 3-3-6
- Boll weevil**
treatment T301-a-3
MB (“Q” label only) at NAP—tarpaulin 5-4-4
- Bombay, India**
treatment schedules for brassware 5-5-41 to 5-5-42
- Bootanomyia* spp.
treatment T203-o-1
MB (“Q” label only) in 26" vacuum 5-3-32
- Borage** 5-2-27, 5-2-28
- Borago officinalis* 5-2-27, 5-2-28
- Borers**
plant material treatment schedule 5-3-4, 5-3-7, 5-3-11 to 5-3-14
plant products treatment schedule 5-4-8, 5-4-15, 5-5-14
wood products treatment schedules 5-5-11, 5-5-15
- Brachycerus* spp.
garlic treatment schedule 5-2-22
plants treatment schedule 5-3-21
- Brachyrhinus* larvae
treatment T202-b
MB (“Q” label only) in 26" vacuum 5-3-20
- Brassica juncea* 5-2-27, 5-2-28
- Brassica* spp.
treatment T101-n-2
MB at NAP—tarpaulin or chamber 5-2-7, 5-2-18
- Brassware**
treatment schedule 5-5-41 to 5-5-42
- Breadfruit**
treatment T102-c
Warm, soapy water and brushing 5-2-46
- Break bulk cargo**
arranging for fumigation 2-3-8
fan arrangement 2-3-8
gas introduction line placement 2-3-8
gas sampling tube placement 2-3-8
- Brevipalpus chilensis*
methyl bromide fumigation treatment
schedule 5-2-31, 5-2-32
water treatment schedule 5-2-46 to 5-2-47, 5-2-51
- Bribery** 6-5-9
- Broccoli**
treatment T101-n-2
MB at NAP—tarpaulin or chamber 5-2-7
- Bromeliads**
treatment T201-e-2
MB (“Q” label only) at 15" vacuum 5-3-4
treatment T507-1
Remove infected leaves and treat all plants of same species in shipment with Ferbam or Captan following label directions. 5-6-8
- Broomcorn**
treatment schedules 5-4-23
treatment T566-1 5-6-19
- Bruchidae*
seed treatment schedule 5-3-31
vegetable treatment schedule 5-2-5, 5-2-21 to 5-2-22, 5-2-32, 5-2-37, 5-2-39
- Bruchophagus* spp.
treatment T203-o-3 5-3-33
- Brussels sprouts**
treatment T101-n-2 5-2-8
- Bulb nematodes**
treatment T552-1 5-6-14
treatment T567-1 5-6-19
- Bulb scale mite**
treatment T202-i-1 5-3-24
- Bulbs**
treatment schedules 5-3-20 to 5-3-21
treatment T552-1 5-6-14
- Bulinidae*
treatment T201-q 5-3-3
- Bulk fumigation** 2-10-6 to 2-10-7

Bulk material
fan operation [2-2-3](#)

Bulkheads
treatment T402-b-3-1 [5-5-3](#)

Bumet [5-2-27](#), [5-2-28](#)

C

Cabbage [5-2-58](#)
T101-n-2 treatment schedule [5-2-19](#)
T101-n-2 treatment T101-j-1 [5-2-9](#)

Cabbageworms
treatment T403-f [5-5-13](#)

Cacti
treatment T201-f-1 [5-3-4](#) to [5-3-5](#)
treatment T553-1 [5-6-15](#)

Cacti fruit [5-2-58](#)

Cacti fruits
treatment T101-d-3 [5-2-43](#)

Calendula officinalis [5-2-27](#), [5-2-28](#)

Calibration certificate [3-7-17](#), [3-7-19](#)

Calibration of Temperature Sensors record [3-7-7](#)

Calla
treatment T556-1 [5-6-16](#)

Calliopsis
treatment T553-1 [5-6-15](#)

Camellia
treatment T201-b-1 [5-3-9](#)
treatment T509-1-1 [5-6-9](#)

Camomile [5-2-27](#), [5-2-28](#)

Campanula
treatment T553-1 [5-6-15](#)

Canada
treatment schedule for pines [5-3-16](#)

Cantaloupe [5-2-58](#)
treatment T101-k-1 [5-2-11](#)

Cape Gooseberry T107-a [5-2-77](#)

Caper buds [5-2-27](#), [5-2-28](#)

Capparis spinosa [5-2-27](#), [5-2-28](#)

Carambola
T107-c cold treatment schedule [5-2-78](#)
T107-f cold treatment schedule [5-2-79](#)
treatment, use T105-a-1 Irradiation [5-2-60](#)

Caraway [5-2-27](#), [5-2-28](#)

Carbon dioxide
effects and removal from gas samples [8-1-3](#),
[8-1-7](#)

Cardamom [5-2-27](#), [5-2-28](#)

Cargo
golden nematode contamination treatment
schedule [5-5-19](#)
non-food, non-feed commodities treatment
schedules [5-5-7](#) to [5-5-13](#)

Cargo compartments
application of micronized dusts [2-11-3](#)

Carposina niponensis
treatment T109-a-1 [5-2-85](#)

Carrots [5-2-58](#)
treatment T101-l-1, T101-m-1 [5-2-12](#)

Carum carvi [5-2-27](#), [5-2-28](#)

Caryedon spp.
treatment T203-b [5-3-31](#)
treatment T203-o-4-1, T203-c, T203-o-4-2 [5-3-33](#)

Cassava
treatment T101-n-1 [5-2-12](#)

Cassia
bark [5-2-27](#), [5-2-28](#)
buds [5-2-27](#), [5-2-28](#)

Casuarina
treatment T203-o-1 [5-3-32](#)

Catnip [5-2-27](#), [5-2-28](#)

Cattleya fly
treatment T201-d-3 [5-3-14](#)

Cauliflower
treatment T101-n-2 [5-2-13](#)

Cecidomyid galls
treatment T201-d-4
Excised in all cases [5-3-14](#)

Cedrus
treatment T201-b-1 [5-3-9](#)

Celeriac
treatment T101-n-1 [5-2-14](#)

Celery [5-2-58](#)

- Celery and celery root**
treatment T101-n-1 5-2-14
- Celery seed** 5-2-27, 5-2-28
- Cerambycids**
treatment T404-b-5-1
Chlorpyrifos spray 5-5-13
- Ceratitis capitata*** 5-2-48
- Ceratitis capitata***
cold treatment schedule 5-2-77
fumigation followed by cold treatment
schedule 5-2-81 to 5-2-82
high temperature forced air treatment
schedule 5-2-53 to 5-2-56
methyl bromide fumigation treatment
schedule 5-2-4, 5-2-7, 5-2-18, 5-2-24, 5-2-29,
5-2-43 to 5-2-51
vapor heat treatment schedules 5-2-69 to 5-2-75
water treatment schedule 5-2-48 to 5-2-51
- Ceratitis rosa***
cold treatment schedule T107-a 5-2-77
treatment T107-e, cold treatment 5-2-79
- Cercospora* spp.**
treatment T501-3 5-6-3
- Certificate of Approval**
for vapor heat treatment equipment 3-5-3
- Certificate of calibration** 3-7-11
- Certificate of Loading and Calibration for Cold Treatment in Self-Refrigerated Containers**
document 3-7-19
- Certified glass-mercury thermometer** 3-3-8
- Certifying facilities**
atmospheric fumigation chambers 6-3-9
cold treatment 6-4-9
hot water immersion facilities 6-5-1 to 6-5-10
vacuum fumigation chambers 6-2-4
- Certifying officers** 3-7-9
- Cestrum***
treatment T553-1 5-6-15
- Chamber fumigation**
methyl bromide
aerating the chamber 2-5-4 to 2-5-5
conducting the fumigation 2-5-2 to 2-5-4
materials needed 2-5-2
- Chart recorders**
APHIS approved models 3-3-10
calculating chart speed 3-7-12
checking operation 3-7-6
- clearing shipments cold treated in transit 3-7-10
to 3-7-16
for intransit cold treatment of ships 3-7-3
obtaining chart length 3-7-13
specifications 3-3-11
- Chayote** 5-2-58
treatment T101-p-1
MB at NAP—tarpaulin or chamber 5-2-15
- Chemical dip**
treatment schedule for plants 5-3-13, 5-3-19
- Chemical treatments**
aerosols 2-11-1, 2-11-4
dips 5-3-13 to 5-3-19
dusts 2-13-1
fumigants
authorized fumigants 2-2-2
characteristics of ideal fumigant 2-2-1
methyl bromide 2-3-1 to 2-3-8
mode of action 2-2-2
phosphine 2-10-1 to 2-10-9
physical properties 2-2-4
supervision of quarantine treatments 2-2-2 to
2-2-4
toxicity of 2-2-1
micronized dusts 2-11-2 to 2-11-4
overview 2-1-1
sprays 2-14-1
- Cherimoya**
treatment T102-b
Soapy water and wax 5-2-46, 5-2-51
- Cherries**
fumigation chamber standards for exports 6-3-5
treatment schedule 5-2-15
treatment T101-r-1
MB at NAP—tarpaulin or chamber 5-2-15
- Cherry** 5-2-58
T107-a cold treatment schedule 5-2-77
T107-b cold treatment schedule 5-2-78
T107-c cold treatment schedule 5-2-78
T108-a fumigation plus cold treatment 5-2-81
- Chervil** 5-2-27, 5-2-28
- Chestnut** 5-2-58
dioon, treatment T201-h-2 5-3-8
treatment T101-u-1, T101-t-1 5-2-16
treatment T203-e (mandatory treatment)
MB ("Q" label only) at 26" vacuum 5-3-27
- Chicory** 5-2-58
- Chicory and chicory root**
treatment T101-v-1 5-2-16 to 5-2-17

Chile

cherimoya treatment schedule 5-2-46, 5-2-51
 grapes treatment schedule 5-2-24
 lemons treatment schedule 5-2-31
 limes treatment schedule 5-2-32, 5-2-47
 mountain papaya treatment schedule 5-2-54 to 5-2-55
 tomato treatment schedule 5-2-43

Chilean false spider mite

methyl bromide fumigation treatment schedule 5-2-31
 water treatment schedule 5-2-46 to 5-2-47, 5-2-51

Chinese 5-2-27

cabbage
 treatment T101-n-2
 MB at NAP—tarpaulin or chamber 5-2-10
 mustard
 treatment T101-n-2
 MB at NAP—tarpaulin or chamber 5-2-11
 parsley 5-2-27, 5-2-28

Chive 5-2-27, 5-2-28

Chinese 5-2-28

Christmas trees

treatment schedules 5-4-26
 treatment T501-5 5-6-3

Chrysanthemum balsamita* 5-2-27, 5-2-28**Chrysanthemum* spp.**

treatment T201-g-1 5-3-5
 treatment T501-4 5-6-3
 treatment T557-1 5-6-16

***Chrysomya* spp.**

treatment T501-1 5-6-3
 treatment T501-6 5-6-4

Cigarette beetle

treatment T308-d 5-4-20

Cilantro 5-2-27, 5-2-28**Cimicifuga**

treatment T553-1 5-6-15
 treatment T564-1 5-6-18

Cinnamomum

aromaticum 5-2-27, 5-2-28
 verum 5-2-27, 5-2-28

Cinnamon 5-2-27, 5-2-28**Cipollini**

treatment T101-w-1
 MB in 15" vacuum—chamber 5-2-17

Cippollino 5-2-58**Circulation and exhaust systems**

atmospheric fumigation chambers 6-3-3
 vacuum fumigation chambers 6-2-2

Cissus

treatment T553-1
 Hot water at 118°F for 30 minutes. 5-6-15

Citron

(ethrog) 5-2-58
 T107-b cold treatment schedule 5-2-78

Citrus

countries prohibited from exporting to the United States 5-2-86
 high temperature forced air treatment schedule 5-2-51
 methyl bromide fumigation treatment schedule 5-2-18
 T107-e cold treatment schedule 5-2-79

Citrus blackfly

fruit treatment schedule 5-2-25
 plant treatment schedule 5-3-12

Citrus canker

treatment T511-1 5-6-10

Citrus whitefly

treatment T201-k-1 5-3-10

Clary 5-2-27, 5-2-28**Clearance Action by Officer 3-7-15****Clematis**

treatment T553-2 5-6-15

Clementine 5-2-77, 5-2-78

methyl bromide fumigation treatment 5-2-18
 vapor heat treatment schedules 5-2-69

Clove buds 5-2-27, 5-2-28**CO**

see Certifying officers

CO2 fire extinguishers

for application of micronized dusts 2-11-2
 safety precautions 2-11-4

Coast Guard Regulations B-1-1 to B-1-8**Cocoa bean 5-2-58****Coconuts 5-2-58**

treatment T101-x-1 5-2-19

Codling moth

treatment T101-s-1 5-2-15

Coffee beans

treatment schedule for bagging 5-4-17

Cold treatment

- fumigation followed by cold treatment
 - schedules 5-2-80 to 5-2-81
- fumigation plus refrigeration treatment schedules
 - for fruits 5-2-80 to 5-2-81
- integral containers used for cold treatment 6-4-7 to 6-4-8
 - approval requirements 6-4-7
 - list of approved F-1-1
- intransit cold treatment of ships
 - approval for 3-7-2
 - clearance of shipments 3-7-10 to 3-7-16
 - initiating treatments 3-7-6 to 3-7-10
 - performance survey of vessels 3-7-2 to 3-7-6
 - progressive clearance 3-7-16
 - self-refrigerated containers 3-7-16 to 3-7-20
 - warehouses 3-7-21 to 3-7-22
- temperature recording instruments
 - standards 6-4-7 to 6-4-8
- vessels used for intransit cold treatment 6-4-2 to 6-4-7
 - approval requirements 6-4-2 to 6-4-3
 - list of approved G-1-1
 - temperature recording systems standards 6-4-4
 - warehouses used for 6-4-8 to 6-4-9

Coleoptera (beetles) 5-5-17

- Bostrichidae* (branch and twig borers) 5-5-17
- Buprestidae* (metallic or flat-headed borers) 5-5-17
- Cerambycidae* (long-horned or round-headed borers) 5-5-17
- Curculionidae* (wood-boring and root-feeding weevils) 5-5-17
- Lyctidae* (powder-post beetles) 5-5-17
- Lymexylonidae* (ship timber beetles) 5-5-17
- Passalidae* (bess beetles) 5-5-17
- Platypodidae* (pin-hole borers) 5-5-17
- Rhyzophagidae* (root-eating beetles) 5-5-17
- Salpingidae* (narrow-wasted bark beetles) 5-5-17
- Scolytidae* (bark/engraver, ambrosia/timber beetles) 5-5-17
- Trogositidae* (bark-gnawing beetles) 5-5-17

Coles

- treatment T101-n-2
 - MB at NAP—tarpaulin or chamber 5-2-7, 5-2-18

Collard greens, treatment schedule

- T101-n-2 5-2-19

Colorimetric tubes 2-3-4**Commercial line conditioner**

- requirements for hot water immersion
 - treatment 3-3-5

Compressed air

- see** CO2 fire extinguishers

Compressed air specifications 8-1-22**Compressed Gas Association 8-1-22****Computers**

- requirements for hot water immersion
 - treatment 3-3-5

Concentration readings

- chamber fumigation 2-5-5, 2-5-6, 2-5-7
- phosphine 2-10-9
- ship fumigation 2-6-13 to 2-6-14
- structure fumigation 2-7-16
- tarpaulin fumigation
 - methyl bromide 2-4-19 to 2-4-22

Concrete surfaces

- treatment T404-b-5-1
 - Chlorpyrifos spray 5-5-13 to 5-5-14

Conifer Christmas trees

- treatment T313-a
 - MB (“Q” label only) at NAP—tarpaulin or chamber 5-4-26

Conifer seeds

- treatment T203-i-1
 - MB (“Q” label only) at NAP 5-3-27

Conogethes punctiferalis

- treatment T109-a-1 5-2-85

Construction

- T406-d steam at NAP — tarpaulin, or tent 5-5-19

Construction equipment

- treatment schedule for golden nematode
 - contamination 5-5-19

Container fumigation

- phosphine 2-10-8

Container vessels

- clearing shipments cold treated in transit 3-7-10 to 3-7-16
- temperature recorders 3-7-9
- temperature sensors 3-7-3 to 3-7-6, 3-7-7 to 3-7-9

Containerized cargo

- aeration of 2-4-31, 2-5-6
- arrangement for fumigation 2-4-7 to 2-4-8
- fan arrangement 2-4-10
- gas introduction line placement 2-4-11
- gas sampling tube placement 2-4-11

Containers

- golden nematode treatment schedule 5-5-19
- potato cyst nematode treatment schedule 5-6-7
- T406-d steam at NAP — tarpaulin, or tent 5-5-19
- wood containers treatment schedules 5-5-14 to 5-5-16

Continuous flow system 3-3-4**Convallaria (pips)**

- treatment T551-1 5-6-14

- Conventions 1-1-4
- Conversion factors 2-2-3
- Conversion Tables D-1-1 to D-1-2
- Convolvulus japonicus* 5-6-15
- Cooperative agreements 3-7-6
- Copitarsia* spp.
 asparagus treatment schedule 5-2-3
 banana treatment schedule 5-2-4
 blackberry treatment schedules 5-2-6
 melons treatment schedules 5-2-33
 plantain treatment schedules 5-2-38
 raspberry treatment schedules 5-2-41
- Copra
 treatment T101-x-1
 MB ("Q" label only) at NAP—tarpaulin or chamber 5-2-19
- Coriander 5-2-27, 5-2-28
- Coriander 5-2-27
- Coriander (cilantro) (seed) 5-2-28
- Coriandrum sativum* 5-2-27, 5-2-28
- Corms
 treatment T202-a-1
 MB ("Q" label only) at NAP—Chamber 5-3-20 to 5-3-21
- Corn
 treatment schedules 5-4-7, 5-6-10
- Corn-on-the-cob 5-2-58
 countries prohibited from exporting to the United States 5-2-86
 methyl bromide fumigation treatment schedule 5-2-20
- Corrective lenses and respiratory protection 8-1-17, 8-1-19
- Corrugated cartons
 fumigation and 2-3-5
- Corytholoma*
 treatment T553-1 5-6-15
- Costmary 5-2-27, 5-2-28
- Cotton and cotton products
 treatment schedules 5-4-2 to 5-4-5
- Cotton pickers
 treatment schedule 5-5-22
- Cottonseed
 treatment T203-f-1
 MB ("Q" label only) at NAP—chamber 5-3-28 to 5-3-29
 treatment T301-a-1-1
 MB ("Q" label only) at NAP—chamber 5-4-5 to 5-4-6
- Covers
 treatment schedules 5-4-16 to 5-4-17
 treatment T503-2-1 5-6-5
- Crocus
 treatment T565-2 5-6-18
- Crocus sativus* 5-2-27, 5-2-28
- Cryptophlebia illepida*
 treatment T203-k
 MB ("Q" label only) at NAP 5-3-31
- Cryptophlebia leucotreta*
 treatment T107-e
 Cold treatment 5-2-79
- Cucumbers 5-2-58
 treatment schedule 5-2-20
- Culantro 5-2-27
- Culantro (leaf) 5-2-28
- Cumin 5-2-27, 5-2-28
- Cuminum cyminum* 5-2-27, 5-2-28
- Cupressus
 treatment T201-b-1
 MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-9
- Curaway 5-2-27
- Curaway, black 5-2-28
- Curculio caryae*
 treatment T107-g
 Cold treatment 5-2-79
- Curculio* spp.
 treatment T101-t-1
 MB at NAP—tarpaulin or chamber 5-2-16
 treatment T302-g-1
 MB at NAP—tarpaulin, chamber, or van container 5-4-8
- Curcuma
 treatment T553-1 5-6-15
- Curry 5-2-27
- Curry (leaf) 5-2-28

Cuscuta spp.
treatment T412-b-1 5-5-41

Cut Flowers
see Flowers

Cuttings
plants
treatment T201-d-1
MB ("Q" label only) at NAP tarpaulin or chamber, see T201-a-1 5-3-13 to 5-3-15
treatment T201-m-1
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-16 to 5-3-18

Cycads
treatment T201-h-1
MB ("Q" label only) in 15" vacuum 5-3-6

Cyclamen
treatment T553-1 5-6-15

Cydia fabivora
treatment T101-k-2
MB in 15" vacuum—chamber 5-2-25
treatment T101-k-2-1
MB at NAP—tarpaulin or chamber 5-2-26

Cydia pomonella
treatment T101-s-1
MB at NAP—chamber only 5-2-15

Cydia splendana
treatment T101-t-1
MB at NAP—tarpaulin or chamber 5-2-16
treatment T302-g-1
MB at NAP—tarpaulin, chamber, or van containe 5-4-8

Cylindrosporium camalliae
treatment T509-1-1
Light infection
Remove infected leaves and dip or spray plant with 4-4-50 Bordeaux. Dry quickly and thoroughly before release. 5-6-9

Cymbopogon citratus 5-2-27, 5-2-28

Cyst nematodes
treatment T553-5 5-6-15

Cytisus
treatment T553-1 5-6-15

D

Dahlia
treatment T553-1 5-6-15

Dasheen
treatment T102-a-2
MB chamber, 15" vacuum-chamber 5-2-20 to 5-2-21

Data logger
checking operations 3-7-7
clearing shipments cold treated in transit 3-7-10 to 3-7-16
for intransit cold treatment of ships 3-7-3

Data logger recorders
APHIS approved models 3-3-10

Deciduous woody plants
treatment T201-a-1 MB
("Q" label only) at NAP 5-3-6

Decks
treatment T402-b-3-1
Malathion spray at 2 gal/1,000 ft² or to the point of runoff 5-5-3

Decontamination
of respiratory protection 8-1-19 to 8-1-21

Delinting 5-4-3

Desiccants 8-1-4, 8-1-5, 8-1-6

Detector kits or gas samples
costs 8-1-31
operations 8-1-23 to 8-1-24
use for fumigants 8-1-23

Detia 2-10-1

Devitalization Treatment
noxious weed seeds 5-5-40

Dialeurodes citri
treatment T201-k-1
MB ("Q" label only) at NAP 5-3-10

Dicentra
treatment T553-1 5-6-15

Dieffenbachia spp.
treatment T201-i-1
MB ("Q" label only) at NAP 5-3-8 to 5-3-9

Dill 5-2-27, 5-2-28
seed 5-2-28

Dillweed 5-2-27, 5-2-28

Dinoderus
treatment T404-b-5-1
Chlorpyrifos spray 5-5-13

Dioon edule
treatment T201-h-2
MB ("Q" label only) in 26" vacuum 5-3-8

Dioscorea spp.
 treatment T101-f-3
 MB at NAP—tarpaulin or chamber 5-2-44
 treatment T202-d
 MB (“Q” label only) at NAP 5-3-26

Dips 5-3-13 to 5-3-19

Diptera
 treatment T203-o-5
 MB (“Q” label only) at NAP 5-3-34

Directory of commercial suppliers H-1-1 to H-1-58

Ditylenchus destructor
 treatment T552-1 5-6-14
 treatment T554-1-1 5-6-16
 treatment T565-1 5-6-18

Ditylenchus dipsaci
 treatment T552-1 5-6-14
 treatment T554-1-2 5-6-16
 treatment T565-4 5-6-19

Documentation 1-1-3

Dosage rates
 methyl bromide
 chamber fumigation 2-5-3
 determining temperature for 2-4-14
 guidelines 2-2-3
 ship fumigation 2-6-1
 structure fumigation 2-7-1
 tarpaulin fumigation 2-4-1
 phosphine 2-10-1
 using commodity or air temperature 2-5-3

DOT
 see U.S. Department of Transportation

Downy mildews
 treatment schedules 5-6-5

Dracaena spp.
 treatment T201-i-1
 MB (“Q” label only) at NAP 5-3-8 to 5-3-9
 treatment T553-1
 Hot water at 118°F for 30 minutes. 5-6-15

Dried 5-2-27

Drierite 2-4-21, 2-6-11, 2-7-14
 use in T/C units 8-1-3, 8-1-6

Dry ice
 safety precautions 4-2-1

Durian
 water treatment schedule 5-2-46

Dust Masks 8-1-13
 see also Respiratory protection

Dusts 2-13-1

Dyspessa ulula
 treatment T101-e-2
 MB in 15" vacuum—chamber 5-2-22
 treatment T202-j
 MB (“Q” label only) at 15" vacuum 5-3-21

E

Ear corn
 treatment T302-a-1-1
 MB at NAP—chamber only 5-4-8

Eggplant 5-2-58
 treatment T106-b-2
 Vapor heat 5-2-69

Electrical wiring
 requirements for hot water immersion
 treatment 3-3-5

Electronic manometer 6-3-6, 8-1-30

Elettaria cardamomum 5-2-27, 5-2-28

Emergency Exemptions
 see Section 18 Exemptions

Endive 5-2-58
 treatment T101-b-2
 MB at NAP—tarpaulin or chamber 5-2-21

Environmental Protection Agency 4-1-1

EPA
 see Environmental Protection Agency

Epimendium pinnatum
 treatment T553-1 5-6-15
 treatment T564-1 5-6-18

Epinotia aporema
 treatment T101-k-2
 MB in 15" vacuum—chamber 5-2-25 to 5-2-26

Equipment 8-1-1 to 8-1-32
 air velocity measuring instruments 8-1-26
 auxiliary pump 8-1-27 to 8-1-28
 detector kits or gas samples 8-1-23 to 8-1-24
 halide detector 8-1-9 to 8-1-11
 open arm manometer 8-1-28 to 8-1-30
 phosphine detector 8-1-31 to 8-1-32
 reference guide to commercial suppliers H-1-1 to H-1-58
 respiratory protection 8-1-12 to 8-1-23
 see also specific pieces of equipment
 thermal conductivity gas analyzers 8-1-2 to 8-1-8
 vacuum pump 8-1-30 to 8-1-31
 volatilizer 8-1-24 to 8-1-26

Eryngium foetidum 5-2-27, 5-2-28

Ethrog

T107-a cold treatment schedule 5-2-77
T107-b cold treatment schedule 5-2-78

Eugenia caryophyllata 5-2-27, 5-2-28

Euonymus alata

treatment T553-1 5-6-15

Eupatorium

treatment T553-1 5-6-15

Euphorbia

treatment T553-1 5-6-15

Europe

treatment schedule for alfalfa 5-6-14

European cherry fruit fly

treatment T203-o-5
MB ("Q" label only) at NAP 5-3-34

European corn borer

treatment T101-v-2
MB at NAP—tarpaulin or chamber 5-2-39
treatment T101-x-1-1
MB at NAP—tarpaulin or chamber 5-2-20

European fruit fly

see also Fruit flies

European pine shoot moth

treatment T201-j
MB ("Q" label only) at NAP 5-3-16

Eurytoma spp.

treatment T201-d-5
Hot water—118°F for 0.5 hour followed by a
cool water bath 5-3-14

Exhaust system

installation of 2-4-31 to 2-4-36

Exosoma lusitanica

treatment T101-w-1
MB in 15" vacuum—chamber 5-2-17

Exotic legume pod borers

treatment T101-k-2
MB in 15" vacuum—chamber 5-2-25 to 5-2-26

Exposure periods

adjusting
for miscellaneous products 5-5-1
for plant products 5-4-1
ship fumigation 2-6-11
tarpaulin fumigation 2-4-33 to 2-4-40

External feeders, **see specific pest by name**

F

False codling moth

treatment T107-e
Cold treatment 5-2-79

False red mite

treatment T108-a
Three alternative schedules based upon the fu-
migation exposure time 5-2-81

Fans

arranging and operating
guidelines 2-2-3 to 2-2-4
ship fumigation 2-6-5 to 2-6-6
structure fumigation 2-7-8
tarpaulin fumigation 2-4-10
determining number of 2-4-33

Farm equipment

T406-d steam at NAP — tarpaulin, or tent 5-5-19
treatment schedule for golden nematode
contamination 5-5-19

Fava bean (dried) 5-2-58

treatment schedule 5-2-21 to 5-2-22

FDA

see Food and Drug Administration

Federal Insecticide, Fungicide, and Rodenticide

Act 1-1-1
see also Section 18 Exemptions

Feeds

treatment schedules for Khapra beetles 5-4-16

Fennel 5-2-27, 5-2-28

Fennel (common) 5-2-28

Fenugreek 5-2-27

FIFRA

see Federal Insecticide, Fungicide, and Rodenti-
cide Act

Financing 6-5-10

Fire Extinguishers

see CO2 fire extinguishers

Flag smut

treatment T504-1-1
Dry heat at 212°F for 1 hour. Treat small bales
only. 5-6-5

Florida

treatment schedule for orchids shipped to 5-6-9

Floronce 5-2-27

seed 5-2-28

Flour

treatment schedules for ships 5-5-6

Flowers

aerating 2-4-33
treatment schedules for cut flowers 5-4-15 to 5-4-16

Foeniculum vulgare 5-2-27, 5-2-28

Foeniculum vulgare

Azoricum Group 5-2-27, 5-2-28

Foliar nematodes

treatment T553-4
Hot water at 118°F for 30 minutes. 5-6-15
treatment T559-1
Dip in hot water at 118°F for 5 minutes. 5-6-17
treatment T564-1 5-6-18

Food and Drug Administration 2-7-8

Foreign treatment facilities protocols 6-5-5 to 6-5-10

Forms A-1-1 to A-1-30

APHIS Form 2061 (Residue Sample for Food or Feed Product) A-1-2
Calibration of Temperature Probes (Cold Treatment) A-1-28
Certificate of Loading and Calibration for Cold Treatment in Self Refrigerated Containers (Cold Treatment) A-1-32
Instructions to Captain (Cold Treatment) A-1-31
Location of Temperature Sensors in Containerized Cargo (Cold Treatment) A-1-32
PPQ Form 203 (Foreign Site Certificate of Inspection and/or Treatment) A-1-25
PPQ Form 429 (Fumigation Record) A-1-11
PPQ Form 449 3-7-5
PPQ Form 449-R (Temperature Recording Installation Report) A-1-24
PPQ Form 519 (Compliance Agreement) A-1-16
PPQ Form 523 (Emergency Action Notification) 2-4-4, 2-7-7, A-1-19 to A-1-22
PPQ Form 556 (In Transit Cold Treatment Clearance Report) 3-7-11, 3-7-16, 3-7-20, A-1-26
see also specific forms by title

Fragaria

treatment T553-1 5-6-15
treatment T558-1 5-6-17
treatment T569-1
Hot water at 121°F for 7 minutes. (National Plant Board Conference, Tennessee, 1968) 5-6-20

Fresh herbs 5-2-58

Fruit

adjusting exposure period 2-4-23 to 2-4-25
aerating 2-4-33 to 2-4-35
cold treatment schedules 5-2-76

determining temperature for proper dosage rate 2-4-14

fumigation plus refrigeration treatment schedules 5-2-80 to 5-2-81

high temperature forced air treatment schedules 5-2-51 to 5-2-56

hot water immersion treatment

air curtain 3-3-12

flow pattern 3-3-12

garbage disposal 3-3-12

loading treated fruit 3-3-13

post-treatment cooling options 3-3-14

pre-warming options 3-3-13

quarantine area 3-3-12

screening material 3-3-12

in shipboard-cooled containers 3-7-9 to 3-7-10

methyl bromide fumigation 5-2-3 to 5-2-45

pest specific/host variable treatment schedules 5-2-57 to 5-2-59

precooling 3-7-9

quick freeze treatment schedules 5-2-85

reporting commodity injury 5-2-1

see also specific fruit by name

vapor heat treatment schedules 5-2-69

water treatment schedules 5-2-46 to 5-2-51

Fruit flies

aircraft treatment schedule 5-5-26
cold treatment for 6-4-1
cold treatment schedule 5-2-76 to 5-2-80, 5-2-80
fumigation followed by cold treatment schedule 5-2-80 to 5-2-85
high temperature forced air treatment schedule 5-2-51 to 5-2-56
hot water immersion treatment for 6-5-1
methyl bromide fumigation treatment schedule 5-2-4, 5-2-7, 5-2-29, 5-2-43
railroad cars treatment schedules 5-5-2
see also specific types of fruit flies
seeds treatment schedule 5-3-35
vapor heat treatment schedules 5-2-69 to 5-2-75
water treatment schedule 5-2-43

Fruit sensors

placement of 3-7-18

Fruit tree spider mite

apples treatment schedule 5-2-85

Fruit, exported

fumigation chamber standards 6-3-5

Fruit, imported

cold treatment for 6-4-7
foreign treatment facilities protocols 6-5-5 to 6-5-10
hot water immersion treatment 6-5-1 to 6-5-5

Fuji apples

treatment T109-a-1 5-2-85

Fumi-Cel 2-10-1

Fumigants

authorized fumigants 2-2-2
 characteristics of ideal fumigant 2-2-1
 methyl bromide 2-3-1 to 2-3-8, 2-4-1 to 2-4-40,
 2-5-1 to 2-5-7, 2-6-1 to 2-6-14, 2-7-1 to 2-7-16
 modes of action 2-2-2
 phosphine 2-10-1 to 2-10-9
 physical properties 2-2-4
 respiratory protection for 8-1-13
see also specific fumigants
 supervision of quarantine treatments 2-2-2 to
 2-2-4
 threshold limit values 8-1-12
 toxicity of 2-2-1

Fumigation

atmospheric fumigation chambers 6-3-9
 Coast Guard regulations B-1-1 to B-1-8
 conducting the fumigation 2-4-19 to 2-4-29
 container arrangement 2-4-7
 definition of 2-2-1
 followed by cold treatment schedules 5-2-80 to
 5-2-85
 guidelines for safe use 2-2-3 to 2-2-4
 items not to fumigate 2-3-7, 2-3-8
 preparing to fumigate 2-4-3 to 2-4-19
 site selection 2-4-4 to 2-4-7
 time 2-4-21
 vacuum fumigation chambers 6-2-4

Fumiscope

description 8-1-2 to 8-1-4
 limitations 8-1-23
 maintenance 8-1-8
 operational procedures 8-1-5 to 8-1-7
 reading of 10 ounces per 1,000 ft 8-1-8
 repair and calibration 8-1-7
 standardizing the instrument 8-1-4 to 8-1-5

Fungous diseases

treatment T303-d-2-1 5-4-12 to 5-4-13

G

Galium odorata 5-2-27, 5-2-28

Gardenia

treatment T553-1 5-6-15

Garlic 5-2-58

beetles
 treatment T101-e-2
 MB in 15" vacuum—chamber 5-2-22
 treatment T202-j
 MB ("Q" label only) at 15" vacuum 5-3-21
 carpenterworm
 treatment T101-e-2
 MB in 15" vacuum—chamber 5-2-22
 treatment T101-e-2
 MB in 15" vacuum—chamber 5-2-22

treatment T202-j
 MB ("Q" label only) at 15" vacuum 5-3-21

Gas analysis

methyl bromide 2-3-4
 phosphine 2-10-2

Gas and vapor removing respirators 8-1-14 to 8-1-15

see also Respiratory Protection

Gas introduction lines

hot gas method 2-7-11
 inside release option 2-7-11
 methyl bromide
 ship fumigation 2-6-6
 structure fumigation 2-7-11
 tarpaulin fumigation 2-4-19

Gas sampling tubes

determining number of 2-7-9
 methyl bromide
 ship fumigation 2-6-6
 structure fumigation 2-7-9
 tarpaulin fumigation 2-4-11 to 2-4-13
 placement of 2-4-11 to 2-4-13

Gaultheria procumbens 5-2-27, 5-2-28

Generators

requirements for hot water immersion
 treatment 3-3-5

Gentiana

treatment T553-1 5-6-15

Gentiana

treatment T507-2 5-6-8

Gerbera

treatment T553-1 5-6-15

Gesneria

treatment T553-1 5-6-15

Geum

treatment T553-1 5-6-15

Gin trash

treatment T301-a-1-1
 MB ("Q" label only) at NAP—chamber 5-4-5
 treatment T301-a-6
 Phosphine at NAP 5-4-2, 5-4-6

Ginger 5-2-58

treatment T101-f-2
 MB in 15" vacuum—chamber 5-2-22

Gladiolus

thrips
 treatment T202-e-2
 MB ("Q" label only) in 26" vacuum 5-3-22

Gladiolus spp.
treatment T202-e-1
MB ("Q" label only) at NAP 5-3-22
treatment T553-1 5-6-15
treatment T565-3 5-6-18

Globodera
campestris, pv. citri
treatment T511-1 5-6-10
pallida
Armoracea treatment schedule 5-6-15
Solanum treatment schedule 5-6-19
rostochiensis
Armoracea treatment schedule 5-6-15
bags treatment schedule 5-4-16
cargo treatment schedules 5-5-11
contamination treatment schedule 5-5-19
Convallaria (pips) treatment schedule 5-6-14
cotton treatment schedules 5-4-4
infestation treatment schedule 5-6-15
soil treatment schedule 5-5-23, 5-5-24
Solanum treatment schedule 5-6-19
wood products treatment schedules 5-5-14

Glossary 9-1-1 to 9-1-3

Golden nematode
bags treatment schedule 5-4-16
cargo treatment schedules 5-5-11
contamination treatment schedule 5-5-19
cotton treatment schedules 5-4-4
plants treatment schedule 5-6-15
soil treatment schedule 5-5-24
wood products treatment schedules 5-5-14

Gooseberry 5-2-77

Gow-Mac
description 8-1-2
limitations 8-1-23
maintenance 8-1-8
operational procedures 8-1-5 to 8-1-6
repair and calibration 8-1-7
standardizing the instrument 8-1-4 to 8-1-5

Grains
of paradise 5-2-27, 5-2-28
treatment schedules 5-4-7 to 5-4-12, 5-6-5 to 5-6-6

Grape 5-2-58
T107-a cold treatment schedule 5-2-77
T107-c cold treatment schedule 5-2-78
T108-a fumigation plus cold treatment 5-2-81
T108-b MB at NAP — tarpaulin or chamber followed by cold treatment 5-2-83

Grapefruit 5-2-58
methyl bromide fumigation treatment schedule 5-2-25
T107-a cold treatment schedule 5-2-77
T107-b cold treatment schedule 5-2-78
T107-c cold treatment schedule 5-2-78

T107-d cold treatment schedule 5-2-78
vapor heat treatment schedules 5-2-70

Grapes
methyl bromide fumigation treatment schedule 5-2-23 to 5-2-24

Grapevine moth
cold treatment T108-a
Three alternative schedules based upon the fumigation exposure time 5-2-81

Graphognathus spp.
treatment T101-u-2
MB at NAP—tarpaulin or chamber 5-2-39

Great Lakes Chemical Company 2-3-2

Green pod vegetables 5-2-58
treatment T101-k-2
MB in 15" vacuum—chamber 5-2-25

Greenery
treatment schedules 5-4-15 to 5-4-16

Greenhouse-grown plants
treatment T201-c-1
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-10 to 5-3-11

Greenwood cuttings
treatment T201-m-2
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-17

Gypsy moth
treatment T313-a
MB ("Q" label only) at NAP—tarpaulin or chamber 5-4-26
treatment T414
MB at NAP—tarpaulin or chamber 5-5-43

H

H. pallida
Convallaria (pips) treatment schedule 5-6-14

Haiti
supervision of hot water immersion treatments 6-5-9

Halide detector 2-3-4
demonstration 8-1-10
description 8-1-9
illustration of halide detector using dispensable propane tank 8-1-11
principles of operation 8-1-9
usage 8-1-10 to 8-1-11

- Halotydeus destructor*
treatment T101-b-1-1
MB ("Q" label only) at NAP—tarpaulin or chamber 5-2-4
- Hand removal of pests 5-3-19
- Handicrafts
treatment T303-a
MB at NAP—chamber only 5-4-14
- Harmolita* spp.
treatment T303-a
MB at NAP—chamber only 5-4-14
- Hawaii
avacado treatment schedule 5-2-4
carambola treatment schedules 5-2-60
citrus treatment schedule 5-2-53 to 5-2-54
lychee fruit treatment schedules 5-2-48, 5-2-65
papaya treatment schedules 5-2-55, 5-2-66
tomato treatment schedule 5-2-43
- Hay, baled
treatment T311
Phosphine at NAP 5-4-25
- Heat
hot water immersion treatment 3-3-2 to 3-3-17
steam treatments 3-4-1 to 3-4-3
vapor heat treatment 3-5-1 to 3-5-3
- Helicella* spp.
treatment T203-h
MB ("Q" label only) at 26" vacuum 5-3-31
- Heliopsis*
treatment T553-1 5-6-15
- Helleborus*
treatment T553-1 5-6-15
- Herbaceous plants
treatment T201-c-1
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-10
treatment T201-c-2
MB ("Q" label only) in 15" vacuum 5-3-11
treatment T201-m-2
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-17
- Hessian fly
treatment T311
Phosphine at NAP 5-4-25
- Hevea brasiliensis*
treatment T203-j
MB ("Q" label only) at NAP 5-3-33
- Hibiscus
treatment T203-g-1
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-30
treatment T553-1 5-6-15
- Hickory nuts 5-2-79
- High temperature forced air treatment
schedules 5-2-51 to 5-2-56
- Honeydew melon
T101-o-2 5-2-33
T104-a-1 5-2-58
- Horehound 5-2-27, 5-2-28
- Horseradish 5-2-58
treatment T101-l-2
MB in 15" vacuum—chamber 5-2-28
- Horseradish roots
treatment T202-f
MB in 15" vacuum 5-3-22
treatment T553-3 5-6-15
- Host variable/pest specific treatment
schedules 5-2-57 to 5-2-59
- Hosta
treatment T553-1 5-6-15
treatment T564-1 5-6-18
- Hot water immersion facilities
address for technical contact 6-5-5
annual APHIS performance test procedures 6-5-2 to 6-5-4
description 6-5-1
foreign treatment facilities protocols 6-5-5 to 6-5-10
list of ideas if tank fails performance test 6-5-4
preliminary performance testing 6-5-1
- Hot water immersion treatment
alarm system 3-3-12
boilers 3-3-6
changes 3-3-15
electrical and electronic components 3-3-5
general requirements 3-3-3 to 3-3-4
post-treatment cooling 3-3-14
pre-treatment warming 3-3-13
principle 3-3-2
procedures 3-3-2
resources 3-3-16
safeguarding treated fruit 3-3-12
safety precautions 3-3-15
schedules 3-3-2
start-up costs 3-3-16
temperature recorder 3-3-8 to 3-3-11
temperature sensors 3-3-7 to 3-3-8
water circulation 3-3-7
Work Plans 3-3-16
- Hot water treatment
schedules for 5-3-3, 5-3-20, 5-6-14 to 5-6-20

Hoya
treatment T553-1. 5-6-15

Humidity
effect on methyl bromide 2-3-4

Humulus
treatment T553-5 5-6-15

Hyacinthus
treatment T554-1-1 5-6-16

Hydrocooling fruit 3-3-14

Hymenoptera (bees, wasps and ants) 5-5-17

Hymenoptera (bees, wasps and ants)
Formicidae (carpenter ants) 5-5-17
Orussidae (parasitic wood wasps) 5-5-17
Siricidae (wood wasps) 5-5-17
Syntexicae (incense-cedar wood wasps) 5-5-17
Xylocopidae (carpenter bees) 5-5-17
Xyphidiidae (wood wasps) 5-5-17

Hyssop 5-2-27, 5-2-28

Hyssopus officinalis 5-2-27, 5-2-28

I

Ilex
treatment T201-b-1
MB ("Q" label only) at NAP—tarpaulin or
chamber 5-3-9

Illicium verum 5-2-27, 5-2-28

Illinois Testing Laboratories 8-1-27

Imported crucifer weevil
treatment T101-I-2
MB in 15" vacuum—chamber 5-2-28

India
treatment schedules for brassware 5-5-41 to
5-5-42

Indoor fumigation 2-4-32 to 2-4-40

Inspections on-site 3-3-3

Inspectors
bribery 6-5-9
foreign treatment facilities protocols 6-5-5 to
6-5-10
withdrawal from foreign facilities 6-5-9

Instructions to Captain document 3-7-8, 3-7-19

Interior Fumigation

methyl bromide 2-7-5, 2-7-10

Internal feeders
see specific pest by name

Interstate Commerce Commission
compressed air specifications 8-1-22

Ipomoea spp.
treatment T101-b-3-1
MB at NAP—tarpaulin or chamber 5-2-42
treatment T202-d
MB ("Q" label only) at NAP 5-3-26

Iris
treatment T553-1 5-6-15
treatment T554-1-1 5-6-16

Isoptera (termites) 5-5-17

Israel
avacado treatment schedule 5-2-4

Italy
exemption from treatment for garlic 5-2-22

J

Jacuzzi system 3-3-4

Japan
apples treatment schedule 5-2-85

Jasminum
treatment T553-1 5-6-15

Jerusalem artichoke 5-2-58

Juniper berry 5-2-27, 5-2-28

Juniperus 5-3-9

Juniperus communis 5-2-27, 5-2-28

K

Kabat
treatment T308-d 5-4-20

Kabat® 5-4-20

Kaempferia
treatment T553-1 5-6-15

Kale
treatment T101-n-2
MB at NAP—tarpaulin or chamber 5-2-29

Kanzawa mite
apples treatment schedule 5-2-85

Kenaf
treatment T203-g-1
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-30

Khapra beetle
aircraft treatment schedule 5-5-26
bags treatment schedule 5-4-16
brassware treatment schedules 5-5-41
cargo treatment schedules 5-5-11
cotton treatment schedules 5-4-2 to 5-4-4
Emergency Action Notification 2-7-7
fumigating cargo 2-4-12
infested material treatment schedule 5-4-19
railroad cars treatment schedules 5-5-2
seeds treatment schedule 5-3-31
ships treatment schedule 5-5-3, 5-5-6
wood products treatment schedule 5-5-18

Kiln Drying
treatment schedules for wood products 5-5-16

Kiwi 5-2-58
T107-a cold treatment schedule 5-2-77
T107-d cold treatment schedule 5-2-78
T108-a fumigation plus cold treatment 5-2-81
treatment T101-m-2
MB at NAP—tarpaulin or chamber 5-2-29

Kniphofia
treatment T553-2 5-6-15

Koa seedworm
treatment T203-k
MB ("Q" label only) at NAP 5-3-31

Kohleria
treatment T553-1 5-6-15

Kohlrabi
treatment T101-n-2
MB at NAP—tarpaulin or chamber 5-2-30

Korea
apples treatment schedule 5-2-85

Kraft paper
fumigation and 2-3-5

Kumquat 5-2-58

L

Laurus nobilis 5-2-27, 5-2-28

Lavender 5-2-27, 5-2-28

Lavendula officinalis 5-2-27, 5-2-28

Leaf 5-2-27

Leaf miners
methyl bromide fumigation treatment
schedule 5-2-7, 5-2-8, 5-2-9, 5-2-10, 5-2-11,
5-2-13, 5-2-18, 5-2-19, 5-2-25, 5-2-29, 5-2-30,
5-2-33, 5-2-34, 5-2-40, 5-2-41
plants treatment schedule 5-3-5, 5-3-14

Leaf tobacco
treatment T308-c
Vacuum-steam flow process followed by
reconditioning 5-4-20

Leafy vegetables 5-2-58
treatment T101-n-2
MB at NAP—tarpaulin or chamber 5-2-30,
5-2-32

Leak detection
methyl bromide
sealing stores 2-6-7
ship fumigation 2-6-11
structure fumigation 2-7-14
tarpaulin fumigation 2-4-20
phosphine 2-10-2

Leeks
treatment T101-q-2
MB at NAP—tarpaulin or chamber 5-2-31

Leguminosae = Fabaceae
treatment T203-c
MB ("Q" label only) at NAP 5-3-33
treatment T203-o-3
MB ("Q" label only) in 26" vacuum 5-3-33

Lemon 5-2-58
baalm 5-2-27, 5-2-28
grass 5-2-27, 5-2-28
treatment T101-n-2-1
MB at NAP—tarpaulin or chamber 5-2-31

Lentils
treatment T101-e-1
MB at NAP—tarpaulin or chamber 5-2-32

Lepidoptera
treatment schedules for miscellaneous
cargo 5-5-13

Lepidoptera (moths) 5-5-17

Lepidoptera (moths)
Cossidae (carpenterworms) 5-5-17
Sesiidae (clear-winged moths) 5-5-17

Lesion nematodes
treatment T553-2 5-6-15

Levisticum officinale 5-2-27, 5-2-28

Libium
treatment schedule [5-6-19](#)

Lily bulbs
treatment T202-g
MB (“Q” label only) at NAP [5-3-23](#)

Limacidae
treatment T201-l
MB (“Q” label only) at NAP—tarpaulin or
chamber [5-3-6](#)

Limes [5-2-58](#)
methyl bromide fumigation
treatment schedule [5-2-32](#)
water treatment schedule [5-2-47](#)

Limnaeidae
treatment T201-q [5-3-3](#)

Lingularis
treatment T568-1 [5-6-19](#)

Lint and linters
treatment T301-a-6
Phosphine at NAP [5-4-2](#), [5-4-6](#)

Liquid measure conversion [2-2-3](#)

Litchi, **see** **Lychee**

Liverworts
treatment schedule for soil [5-5-23](#)

Lobesia botrana
fumigation followed by cold treatment
schedule [5-2-81](#)

Lobesia botrana
methyl bromide fumigation treatment
schedule [5-2-23](#) to [5-2-24](#)

Location of Temperature Sensors document [3-7-8](#),
[3-7-19](#)

Logs and lumber
adjusting exposure period [2-4-28](#)
determining temperature for proper dosage
rate [2-4-15](#)
treatment schedules [5-4-25](#)

Longan
T107-b cold treatment schedule [5-2-78](#)
T107-h cold treatment schedule [5-2-80](#)

Lonicera spp.
treatment T203-o-5
MB (“Q” label only) at NAP [5-3-34](#)

Loquat
T107-a cold treatment schedule [5-2-77](#)

Lovage [5-2-27](#)

Lovage (leaf) [5-2-28](#)

Lovage (seed) [5-2-28](#)

Lumber
see **Logs and lumber**

Lychee [5-2-79](#)
irradiation treatment schedules [5-2-65](#)
T107-a cold treatment schedule [5-2-77](#)
T107-b cold treatment schedule [5-2-78](#)
T107-h cold treatment schedule [5-2-80](#)
treatment T102-d
Hot water immersion [5-2-48](#)

Lycoris
treatment T202-h
MB in 26" vacuum [5-3-23](#)

Lymantria dispar
treatment T313-a
MB (“Q” label only) at NAP—tarpaulin or
chamber [5-4-26](#), [5-5-43](#)

M

Macadamia nuts
treatment T203-k
MB (“Q” label only) at NA [5-3-31](#)

Mace [5-2-27](#), [5-2-28](#)

Magnesium phosphide, **see** **Phosphine**

Maintaining
the manual [C-1-1](#) to [C-1-5](#)

Maintenance
respiratory protection [8-1-19](#) to [8-1-22](#)
Supporting and Updating the Export Certification
Manual (ECM) and Its Summaries
Appendix 10 [C-1-1](#) to [C-1-5](#)
T/C units [8-1-8](#)

**Maintenance- Supporting and Updating the Export
Certification Manual** [C-1-1](#) to [C-1-5](#),

Maize
treatment schedules [5-6-5](#)

Malathion spray
effect asphalt surfaces [2-6-5](#)
treatment schedule for ships and surrounding
areas [5-5-3](#)

Malathion-carbaryl chemical dip
treatment T201-o-2
Chemical Dip—Dip plants with a [5-3-13](#)
treatment T201-p-2 [5-3-19](#)

Mango seed weevils 6-5-6

Mangoes

cooling hot water-treated fruit 3-3-14
countries prohibited from exporting to the United States 5-2-86
high temperature forced air treatment schedule 5-2-54
hot water immersion standards 6-5-4
vapor heat treatment schedules 5-2-71
water treatment schedule 5-2-49 to 5-2-51

Manihot

treatment T101-n-1
MB at NAP—tarpaulin or chamber 5-2-12

Manometer

electronic 6-3-6, 8-1-28
open arm 6-3-5, 8-1-28 to 8-1-30
use in pressure-leakage testing 6-3-4 to 6-3-5, 8-1-29

Manuals

distributing C-1-9
ordering additional copies C-1-7, C-1-7

Marigold 5-2-27, 5-2-28

Marjoram 5-2-27, 5-2-28

Marrubium vulgare 5-2-27, 5-2-28

Maruca testulalis

treatment T101-k-2
MB in 15" vacuum—chamber 5-2-25 to 5-2-26

Mayetiola destructor

treatment schedules 5-4-25

MB

see Methyl bromide

Mealybugs

treatment T305-c
MB ("Q" label only) at NAP—tarpaulin or chamber 5-4-16

Mechanical Cotton Pickers

treatment T407
MB ("Q" label only) at NAP—tarpaulin, chamber, railroad car, or van 5-5-22

Medicago

treatment T520-1-1
Dust with 75 percent Thiram at the rate of 166 grams per 50 kilograms of seed (3.3g/kg). 5-6-14

Mediterranean fruit fly

cold treatment for 5-2-69, 6-4-1
cold treatment plus fumigation treatment schedule 5-2-77

fumigation followed by cold treatment schedule 5-2-81 to 5-2-82

high temperature forced air treatment schedule 5-2-53 to 5-2-56

irradiation treatment schedules 5-2-61, 5-2-66

methyl bromide fumigation treatment schedule 5-2-4, 5-2-7, 5-2-18, 5-2-24, 5-2-29, 5-2-43

see also Fruit flies

vapor heat treatment schedules 5-2-69 to 5-2-75

water treatment schedule 5-2-48, 5-2-48 to 5-2-51

Melissa officinalis 5-2-27, 5-2-28

Meloidogyne spp.

treatment schedules 5-6-16 to 5-6-17

Melon fly

cold treatment schedule 5-2-79

fumigation followed by cold treatment schedule 5-2-81

high temperature forced air treatment schedule 5-2-53 to 5-2-56

irradiation treatment schedules 5-2-62, 5-2-66

methyl bromide fumigation treatment schedule 5-2-4

vapor heat treatment schedules 5-2-69 to 5-2-75

Melons

treatment T101-o-2
MB at NAP—tarpaulin or chamber 5-2-33

Memory loggers 3-3-9

Mentha pulegium 5-2-27, 5-2-28

Metal surfaces

treatment schedules 5-5-13 to 5-5-14
treatment T402-b-3-1

Malathion spray at 2 gal/1,000 ft² or to the point of runoff. 5-5-3

Meth-O-Gas Q 2-3-2 to 2-3-4

Methyl bromide

acceptable air concentration level 2-4-19

calibration of T/C units for 8-1-5

chamber fumigation

aerating the chamber 2-5-4 to 2-5-5

conducting the fumigation 2-5-2 to 2-5-4

materials needed 2-5-2

gas analysis 2-3-4

halide detector flame colors according to MB concentration 8-1-10

humidity and 2-3-4

items not to fumigate 2-3-7 to 2-3-8

leak detection 2-3-4

Meth-O-Gas Q 2-3-2 to 2-3-4

packaging and 2-3-5

properties of 2-3-1 to 2-3-2

residual effect 2-3-6 to 2-3-8

residue monitoring 4-1-1, 4-2-1

- Section 18 Exemptions 2-3-2 to 2-3-4, 5-2-1 to 5-2-2
see also Treatment schedules
- ship fumigation
 aeration 2-6-13 to 2-6-14
 conducting the fumigation 2-6-10 to 2-6-12
 materials needed 2-6-2 to 2-6-3
 preparing to fumigate 2-6-4 to 2-6-10
 safety measures 2-6-3
- sorption 2-3-5 to 2-3-6
- structure fumigation
 aerating the enclosure 2-7-15 to 2-7-16
 conducting the fumigation 2-7-13
 materials needed 2-7-2 to 2-7-3
 preparing to fumigate 2-7-4 to 2-7-12
 safety precautions 2-7-3
- tarpaulin fumigation
 aerating the enclosure 2-4-29 to 2-4-40
 conducting the fumigation 2-4-19 to 2-4-29
 materials needed 2-4-2 to 2-4-3
 preparing to fumigate 2-4-3 to 2-4-19
- temperature and 2-3-4
- threshold limit value 8-1-12
- use in atmospheric fumigation chambers 6-3-2, 6-3-4
- use of 2-3-1 to 2-3-2
- use of halide detectors with 8-1-9
- Mexican fruit fly**
 treatment T107-b
 Cold treatment 5-2-78
- Mexico**
 clementines
 methyl bromide treatment schedule 5-2-18
 vapor heat treatment schedules 5-2-69
- grapefruit
 methyl bromide treatment schedule 5-2-25
 vapor heat treatment schedules 5-2-70
- mangoes
 high temperature forced air treatment schedule 5-2-54
 vapor heat treatment schedules 5-2-71
- oranges
 methyl bromide treatment schedule 5-2-36
 vapor heat treatment schedules 5-2-72
- supervision of hot water immersion treatments 6-5-9
- Micronized dusts**
 application of 2-11-2 to 2-11-3
 cartridges 2-11-2
 equipment 2-11-2
 safety precautions 2-11-4
- Microprocessors**
 requirements for hot water immersion treatment 3-3-5
- Milacidae**
 treatment T201-l
 MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-6
- Mites**
 treatment T201-g-3 5-3-5
- Mityvac Hand-Held Vacuum Pump** 8-1-30
- Monitoring leads**
 blocked or crimped 2-4-19
- Mordellistena spp.**
 treatment T201-d-3
 MB ("Q" label only) in 15" vacuum 5-3-14
- Mosses**
 treatment schedule for soil 5-5-23
- Mountain papaya**
 high temperature forced air treatment schedule 5-2-54 to 5-2-56
 vapor heat treatment schedules 5-2-72
- Murrya koenigii** 5-2-27, 5-2-28
- Muscari**
 treatment T567-1 5-6-19
- Muskmelon** 5-2-58
- Mustard** 5-2-27
 greens
 treatment T101-n-2
 MB at NAP—tarpaulin or chamber 5-2-34
 seed 5-2-28
- Myristica fragrans** 5-2-27, 5-2-28
-
- N**
- Naegelia**
 treatment T553-1 5-6-15
- NAP's**
see Normal atmospheric pressure chamber
- Narcissus**
 treatment T202-i-1
 MB ("Q" label only) at NAP 5-3-24
 treatment T555-1 5-6-16
- Nasturtium** 5-2-27, 5-2-28
- Natal fruit fly**
 treatment T107-e
 Cold treatment 5-2-79
- National Institute for Occupational Safety and Health**
 certification of respiratory protective equipment 8-1-14

National Monitoring and Residue Monitoring Analysis Laboratory 4-2-3

Nectarine

T107-a cold treatment schedule 5-2-77

T107-e cold treatment schedule 5-2-79

T108-a fumigation plus cold treatment 5-2-81

Nectarines 5-2-58

treatment T101-a-3

MB at NAP—tarpaulin or chamber 5-2-35

Nematode cysts

treatment schedules for railroad cars 5-5-2

Nematodes

treatment schedules 5-6-15, 5-6-18

Nepeta cataria 5-2-27, 5-2-28

New Zealand

asparagus treatment schedule 5-2-4

Nigella sativa 5-2-27, 5-2-28

NIOSH

see National Institute for Occupational Safety and Health

NMRAL

see National Monitoring and Residue Monitoring Analysis Laboratory

Noctuidae spp.

asparagus treatment schedules 5-2-3

banana treatment schedules 5-2-4

blackberry treatment schedules 5-2-6

melons treatment schedules 5-2-33

plantain treatment schedules 5-2-38

raspberry treatment schedules 5-2-41

Nonchemical treatments

cold treatment

intransit cold treatment of ships 3-7-1 to 3-7-16

self-refrigerated containers 3-7-16 to 3-7-20

warehouses 3-7-21 to 3-7-22

heat

Cold Treatment (CT) 3-7-1 to 3-7-22

Forces Hot Air 3-6-1 to 3-6-9

Hot Water Immersion Treatment 3-3-1 to 3-3-16

hot water immersion treatment 3-3-2 to 3-3-17

Irradiation 3-8-1 to 3-8-15

overview 3-2-1

Steam Treatments 3-4-1 to 3-4-3

steam treatments 3-4-1 to 3-4-3

Vapor Heat Treatment 3-5-1 to 3-5-3

vapor heat treatment 3-5-1 to 3-5-3

irradiation 3-8-1

overview 3-1-1, 6-1-1

Nonperishable commodities

supervision of quarantine treatments 2-2-2

Normal atmospheric pressure chamber
aeration of 2-5-5 to 2-5-6

Noxious weed seeds

treatment schedules 5-5-40 to 5-5-41

Nut fruit tortrix

treatment schedules 5-2-16, 5-4-8

Nutmeg 5-2-27, 5-2-28

Nuts

methyl bromide fumigation treatment
schedules 5-2-16

pest specific/host variable treatment
schedules 5-2-57 to 5-2-59

reporting commodity injury 5-2-1

Nysius huttoni

treatment T101-m-2

MB at NAP—tarpaulin or chamber 5-2-29

O

Oak logs and lumber

treatment schedules 5-4-25

Oak Wilt Disease

treatment T312-a

MB ("Q" label only) at NAP 5-4-25

Occupational Safety and Health Administration

respiratory protection requirements 8-1-13,
8-1-17

Ocimum basilicum 5-2-27, 5-2-28

Officer-in-Charge

responsibility for respiratory protection 8-1-12

Off-odors

effect of methyl bromide 2-3-7 to 2-3-8

Okra 5-2-58

treatment schedules (Seeds) 5-3-30

treatment T101-p-2 5-2-35

Omalyx unguis

treatment T201-o-1

Water Spray—Use a high-pressure water spray on the foliage to flush snails from the plants. Care should be taken not to spray the root systems of conifers since they will be damaged. 5-3-12

Onion/garlic carpenterworm

treatment T202-j

MB ("Q" label only) at 15" vacuum 5-3-21

Onions 5-2-58

treatment T101-q-2
MB at NAP—tarpaulin or chamber 5-2-35

On-site inspections 3-3-3

Open arm manometer
illustrations 6-3-6, 8-1-30
use in pressure-leakage testing 6-3-4, 8-1-28

OPPC

see Oxford Plant Protection Center

Opuntia

treatment T101-d-3
MB at NAP—tarpaulin or chamber 5-2-43

Orange 5-2-58

methyl bromide fumigation treatment
schedule 5-2-36
T107-a cold treatment schedule 5-2-77
T107-b cold treatment schedule 5-2-78
T107-c cold treatment schedule 5-2-78
T107-d cold treatment schedule 5-2-78
vapor heat treatment schedules 5-2-72

Orchid

bordeaux spray treatment schedules 5-6-3, 5-6-9
defoliation treatment schedules 5-6-11
hot-water treatment schedules 5-3-14, 5-6-15
methyl bromide treatment schedules 5-3-14
rusts treatment schedules 5-6-9

Ordering additional manuals, summaries or
revisions C-1-7 to C-1-9

Oregano 5-2-27, 5-2-28

Oriental fruit fly

cold treatment schedule 5-2-79
fumigation followed by cold treatment
schedule 5-2-81
high temperature forced air treatment
schedule 5-2-53 to 5-2-56
irradiation treatment schedules 5-2-60, 5-2-66
methyl bromide fumigation treatment
schedule 5-2-4
see also Fruit flies
vapor heat treatment schedules 5-2-69 to 5-2-75
water treatment schedule 5-2-48

Origanum spp. 5-2-27, 5-2-28

Ornithogalum

treatment T553-1 5-6-15
treatment T567-1 5-6-19

Ortanique 5-2-77

Oryza

treatment schedules 5-6-17

Ostrinia nubilalis

treatment T101-v-2

MB at NAP—tarpaulin or chamber 5-2-39
treatment T101-x-1-1
MB at NAP—tarpaulin or chamber 5-2-20

Outdoor fumigation 2-4-36 to 2-4-40

Oxford Plant Protection Center

procedures to detect blocked monitoring leads
with use of Mitivac vacuum pump 8-1-31

P

Paddy rice

see also Rice straw and hulls treatment schedule
treatment schedule 5-6-17

Paeonia

treatment T553-1 5-6-15
treatment T564-1 5-6-18

Paints

for atmospheric fumigation chambers 6-3-3

Papaver somniferum 5-2-27, 5-2-28

Papaya

high temperature forced air treatment
schedule 5-2-54 to 5-2-56
irradiation treatment schedules 5-2-66
vapor heat treatment schedules 5-2-72 to 5-2-73

Parsley 5-2-27

Parsley (dried) 5-2-28

Parsnip 5-2-58

treatment T101-g-1
MB chamber, 15" vacuum—chamber 5-2-36

Particulate removing respirators 8-1-15

see also Respiratory protection

Passiflora

treatment T553-1
Hot water at 118°F for 30 minutes. 5-6-15

Peach 5-2-58

T107-a cold treatment schedule 5-2-77
T107-b cold treatment schedule 5-2-78
T107-e cold treatment schedule 5-2-79
T108-a fumigation plus cold treatment 5-2-81
treatment T101-a-3
MB at NAP—tarpaulin or chamber 5-2-36

Peach fruit moth

apples treatment schedule 5-2-85

- Pear**
 maximum loading temperature 3-7-9
 MB treatment schedule T101-a-1 5-2-3
 T107-a cold treatment schedule 5-2-77
 T107-d cold treatment schedule 5-2-78
 T108-a fumigation plus cold treatment 5-2-81
 T108-b MB at NAP — tarpaulin or chamber followed by cold treatment 5-2-83
- Peas** 5-2-58
 treatment schedules 5-2-25 to 5-2-26
 treatment T101-e-1
 MB at NAP—tarpaulin or chamber 5-2-37
- Pecan** 5-2-79
- Pecan weevil**
 treatment T107-g
 Cold treatment 5-2-79
- Pectinophora gossypiella*
 cotton equipment treatment schedule 5-5-22
 okra treatment schedule 5-2-35
 railroad cars treatment schedules 5-5-2
- Pectinophora* spp.
 treatment schedule T301-a-7 5-4-2 to 5-4-3
 treatment schedules T301-a-1-1, 5-4-10
 treatment schedules T301-a-1-1, T301-a-1-2, T301-a-6, T301-a-2, 5-4-7
 treatment schedules T301-a-1-1, T301-a-1-2, T301-a-6, T301-a-2, T301-a-4, T301-a-5-1, T301-a-5-2 5-4-5
- Pen recorders**
 APHIS approved models 3-3-10
- Pennyroyal** 5-2-27, 5-2-28
- Pentatomidae* spp.
 methyl bromide fumigation treatment schedule 5-2-41
 treatment schedule 5-2-6
- Pepper** 5-2-27, 5-2-58
 black 5-2-28
 white 5-2-27, 5-2-28
- Perishable commodities**
 supervision of quarantine treatments 2-2-2
- Persimmon**
 T107-a cold treatment schedule 5-2-77
 T107-b cold treatment schedule 5-2-78
- Pest risk analysis** 6-5-6
- Petroselinum crispum* 5-2-27, 5-2-28
- PH**
see Phosphine
- Philippines**
- treatment T101-c-1
 MB at NAP—tarpaulin or chamber 5-2-4
- Philodendron* spp.
 treatment T201-i-1
 MB (“Q” label only) at NAP 5-3-8
- Philomycidae*
 treatment T201-l
 MB (“Q” label only) at NAP—tarpaulin or chamber 5-3-6
- Phoma chrysanthemi*
 treatment T501-4
 Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bordeaux dip or spray. 5-6-3
- Phosphine**
 aeration 2-10-7
 amount liberated by various products 2-10-3, 5-4-25, 5-5-47
 bulk fumigations 2-10-6 to 2-10-7
 concentration readings 2-10-9
 container fumigation 2-10-8 to 2-10-9
 disposal of residue 2-10-6
 dosage rates 2-10-2 to 2-10-3
 leak detection 2-10-2
 measurement of 8-1-23
 properties of 2-10-1 to 2-10-2
 safety precautions 2-10-3 to 2-10-4
 threshold limit value 8-1-12
 treatment schedule for seeds 5-3-29, 5-3-30
 use in atmospheric fumigation chambers 6-3-2
 use of 2-10-1 to 2-10-2
- Phosphine detector**
 PortaSens phosphine detector
 alarm function 8-1-32
 battery power supply 8-1-32
 description 8-1-31
 flow verification 8-1-32
 operation 8-1-31
 power down 8-1-32
 response time 8-1-32
- Phostoxin** 2-10-4
- Photinia**
 treatment T201-b-1
 MB (“Q” label only) at NAP—tarpaulin or chamber 5-3-9
- Phthorimaea operculella*
 treatment T101-v-2 5-2-39
- Phyllosticia bromeliae*
 treatment schedules 5-6-8
- Physoderma diseases**
 treatment schedules 5-6-5
- Picea* spp.

- treatment T203-i-1
MB ("Q" label only) at NAP [5-3-27](#)
- Pieris* spp.
treatment T403-f
MB at NAP [5-5-13](#)
- Piers**
treatment T402-b-3-1
Malathion spray at 2 gal/1,000 ft² or to the point of runoff. [5-5-3](#)
treatment T406-c
Steam Cleaning [5-5-19](#)
- Pimenta*
dioica [5-2-27](#), [5-2-28](#)
- Pimento** [5-2-58](#)
- Pimpinella anisum* [5-2-27](#), [5-2-28](#)
- Pine Christmas trees**
treatment T313-b
MB ("Q" label only) at NAP—chamber or tarpaulin [5-4-27](#)
- Pine shoot beetle**
treatment T313-b
MB ("Q" label only) at NAP—chamber or tarpaulin [5-4-27](#)
- Pineapple** [5-2-58](#)
methyl bromide fumigation treatment schedule [5-2-38](#)
vapor heat treatment schedules [5-2-73](#)
- Pineapple slips**
treatment T201-e-3-1
MB ("Q" label only) at NAP [5-3-15](#)
- Pines**
treatment T201-j
MB ("Q" label only) at NAP [5-3-16](#)
- Pink bollworm**
treatment T401-a
MB ("Q" label only) at NAP [5-5-2](#)
treatment T407
MB ("Q" label only) at NAP—tarpaulin, chamber, railroad car, or van [5-5-22](#)
- Pinus*
mugo spp.
treatment T203-i-2
MB ("Q" label only) in 26" vacuum [5-3-28](#)
sylvestris spp.
treatment T203-i-1
MB ("Q" label only) at NAP [5-3-27](#)
- Pinus* spp.
treatment T201-j
MB ("Q" label only) at NAP [5-3-16](#)
- Piper nigrum* [5-2-27](#), [5-2-28](#)
- Pitahaya**
treatment T101-d-3
MB at NAP—tarpaulin or chamber [5-2-43](#)
- Pitaya from Colombia** [5-2-74](#)
- Planorbidae**
treatment T201-q [5-3-3](#)
- Plant pests and pathogens**
treatment schedules [5-6-1](#) to [5-6-20](#)
- Plant Protection and Quarantine** [1-1-1](#)
- Plantain** [5-2-58](#), [5-2-59](#)
treatment T101-t-2
MB at NAP—tarpaulin or chamber [5-2-38](#)
- Plants**
treatment schedules [5-3-3](#), [5-4-1](#) to [5-4-28](#)
- Plants in Growing Media** [E-1-1](#), [F-1-1](#), [G-1-1](#), [H-1-1](#), [I-1-1](#), [J-1-1](#)
- Plastic wrappings**
perforating for fumigation [2-3-5](#)
- Plum** [5-2-58](#)
T107-a cold treatment schedule [5-2-77](#)
T107-b cold treatment schedule [5-2-78](#)
T107-e cold treatment schedule [5-2-79](#)
T108-a fumigation plus cold treatment [5-2-81](#)
treatment schedule [5-2-39](#)
- Plumcot**
T107-a cold treatment schedule [5-2-77](#)
T108-a fumigation plus cold treatment [5-2-81](#)
- Podocarpus*
treatment T201-b-1
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-9](#)
- Poisoning**
see Emergency aid and safety
- Polyanthes*
treatment schedules [5-6-15](#), [5-6-19](#)
- Pomegranate**
T107-a cold treatment schedule [5-2-77](#)
T107-b cold treatment schedule [5-2-78](#)
T107-c cold treatment schedule [5-2-78](#)
- Poppy** [5-2-27](#)
seed [5-2-28](#)
- PortaSens phosphine detector** [2-10-2](#)
alarm function [8-1-32](#)
battery power supply [8-1-32](#)
description [8-1-31](#)

flow verification [8-1-32](#)
 operation [8-1-31](#)
 power down [8-1-32](#)
 response time [8-1-32](#)

Post-treatment cooling [3-3-14](#)

pot marjoram [5-2-27](#), [5-2-28](#)

Potato [5-2-58](#)
 treatment T101-u-2
 MB at NAP—tarpaulin or chamber [5-2-39](#)

Potato cyst nematode
 treatment schedules [5-6-4](#), [5-6-7](#) to [5-6-8](#)

Potato tubers
 treatment T565-5 [5-6-19](#)

Potato tuberworm
 treatment T101-v-2
 MB at NAP—tarpaulin or chamber [5-2-39](#)

PPQ
 see Plant Protection and Quarantine

Pratylenchus spp.
 treatment schedules [5-6-15](#), [5-6-16](#), [5-6-20](#)

Preclearance Program Office [3-7-6](#)

Preclearance programs
 see Certifying facilities

Precooling treatment [3-7-10](#)

Pre-fumigation
 conferences [2-7-7](#) to [2-7-8](#)
 procedures [2-6-6](#)

Pre-warming treatment [3-3-13](#)

Prickly pear
 treatment T101-d-3
 MB at NAP—tarpaulin or chamber [5-2-43](#)

Primula
 treatment T553-1
 Hot water at 118°F for 30 minutes. [5-6-15](#)

Probing
 phosphine [2-10-6](#) to [2-10-7](#)

Professional Development Center [1-1-4](#)

Progressive clearance [3-7-16](#)

Propagative plant material
 fan operation [2-2-3](#)
 treatment schedules [5-3-1](#) to [5-3-34](#)

Property fumigation
 methyl bromide [2-7-5](#)

Puerto Rico
 supervision of hot water immersion
 treatments [6-5-9](#)

Pulp
 fruit
 treatment schedules [5-2-76](#) to [5-2-80](#),

Pulpy vegetables
 see Vegetables

Pulses
 treatment T101-e-1
 MB at NAP—tarpaulin or chamber [5-2-39](#)

Pummelo
 T107-a cold treatment schedule [5-2-77](#)

Pumpkin [5-2-58](#)

Pumpkins
 treatment schedule [5-2-40](#)

Purpose of manual [1-1-1](#)

Q

Q labels [2-3-2](#) to [2-3-4](#)

Quarantine
 56 [3-7-2](#), [6-4-3](#), [6-4-8](#)
 Exemptions
 see Section 18 Exemptions
 fumigants
 supervision of [2-2-2](#) to [2-2-4](#)
 requirements
 samples for residue monitoring [4-2-3](#)

Queensland fruit fly
 cold treatment schedule [5-2-78](#)
 fumigation followed by cold treatment
 schedule [5-2-81](#) to [5-2-82](#)
 see also Fruit flies

Quick freeze treatment schedules [5-2-85](#)

Quince
 T107-a cold treatment schedule [5-2-77](#)
 T108-a fumigation plus cold treatment [5-2-81](#)

R

Radishes [5-2-58](#)
 treatment T101-g-1
 MB chamber, 15" vacuum—chamber [5-2-40](#)

Railroad cars

- treatment schedules 5-5-2, 5-5-19
- Rape greens**
treatment T101-n-2
MB at NAP—tarpaulin or chamber 5-2-40
- Raspberries** 5-2-58
treatment T101-x-2
MB at NAP—tarpaulin or chamber 5-2-41
- Recorder sensors**
see also Temperature sensors
testing 3-7-8
- Recorders**
see Temperature recorders
- Reference documents** 1-1-3
- Refrigerated transport**
see also Cold treatment
vessels used for intransit cold treatments 6-4-2
to 6-4-7, G-1-1
- Refrigerated warehouses**
used for cold treatment 6-4-8 to 6-4-9
- Reichsteineria*
treatment T553-1 5-6-15
- Reporting problems** 1-1-4
- Residual effect**
of methyl bromide 2-3-6 to 2-3-8
- Residue monitoring**
collecting samples 4-2-2
labeling samples 4-2-2
overview 4-1-1
safety precautions 4-2-1
shipping samples 4-2-3
storing samples 4-2-3
- Resistive thermal detectors** 3-3-7
- Resmethrin**
treatment schedule for aircraft 5-5-26
- Respirators** 2-4-19, 2-4-31, 2-10-4
- Respiratory protection**
capabilities and limitations 8-1-14 to 8-1-15
communication and 8-1-19
corrective lenses and 8-1-18
employee acceptance 8-1-13
facepiece fit and testing 8-1-17 to 8-1-18
for fumigants 8-1-13
for pesticides other than fumigants 8-1-13
low temperatures and 8-1-19
maintenance and care 8-1-19 to 8-1-22
NIOSH certification 8-1-14
OSHA requirements 8-1-12
physical condition and 8-1-16
- responsibility for 8-1-12
see also specific types or respiratory protection
selection of 8-1-15
use of 8-1-16 to 8-1-19
- Restrictions of manual** 1-1-1
- Resurrection plants**
treatment T202-a-2
MB (“Q” label only) at NAP—Tarpaulin 5-3-25
- Rhagoletis*
cerasi spp.
treatment T203-o-5
MB (“Q” label only) at NAP 5-3-34
indifferens
treatment T101-s-1
MB at NAP—chamber only 5-2-15
tomatis
treatment T101-c-3-1
MB at NAP—tarpaulin or chamber 5-2-43
- Rhizomes**
treatment schedules 5-3-20 to 5-3-21
- Rhododendron*
treatment T501-6
Remove infected parts and treat all plants of
same species in shipment with 4-4-50 Bor-
deaux dip or spray. 5-6-4
- Rhyacionia buoliana*
treatment T201-j
MB (“Q” label only) at NAP 5-3-16
- Rhynchostylis* spp.
treatment T201-d-5 5-3-14
- Rice straw and hulls**
methyl bromide treatment schedules 5-4-12
see also Paddy rice
steam treatment schedules 5-6-13
- Root cuttings**
treatment schedule 5-3-17 to 5-3-18
- Root-knot nematodes**
treatment T553-1 5-6-15
treatment T556-1 5-6-16
- Roots**
treatment schedule 5-3-20 to 5-3-21
- Rosa* spp.
treatment T560-1 5-6-17
- Rosemarinus*
officinalis 5-2-27, 5-2-28
- Rosemary** 5-2-27, 5-2-28
- Rosmarinus* seeds
treatment T203-h

- MB ("Q" label only) at 26" vacuum [5-3-31](#)
- RTD sensors
see Resistive thermal detectors
- Rubber trees
 treatment T203-j
 MB ("Q" label only) at NAP [5-3-33](#)
- Rue [5-2-27](#), [5-2-28](#)
- Rusts
 treatment T508-1
 For rust-infected shipments to Florida
 Refuse entry to all infected plants and all other
 plants of the same species or variety in the
 shipment. [5-6-9](#)
- Ruta graveolens* [5-2-27](#), [5-2-28](#)
- Rutabaga [5-2-58](#)
-
- ## S
- Saccharum
 treatment T514-1 [5-6-11](#)
- Safety precautions
 aerosols [2-11-4](#)
 CO2 fire extinguishers [2-11-4](#)
 hot water immersion treatment [3-3-15](#)
 micronized dusts [2-11-4](#)
 phosphine [2-10-5](#) to [2-10-6](#)
 residue monitoring [4-2-1](#)
see also Emergency aid and safety
 ship fumigation [2-6-3](#)
 structure fumigation [2-7-3](#)
- Saffron [5-2-27](#), [5-2-28](#)
- Sage [5-2-27](#), [5-2-28](#)
- Salsify [5-2-58](#)
- Salvia
 officinalis [5-2-27](#), [5-2-28](#)
 sciarea [5-2-27](#), [5-2-28](#)
- Sand pear [5-2-77](#), [5-2-79](#)
- Sanguisorba minor* [5-2-27](#), [5-2-28](#)
- Sansevieria*
 treatment T553-1 [5-6-15](#)
- Satureja* spp. [5-2-27](#), [5-2-28](#)
- Savory
 summer [5-2-27](#), [5-2-28](#)
 winter [5-2-28](#)
- Scabiosa*
 treatment T553-1 [5-6-15](#)
- SCBA
see Self-contained breathing apparatus
- Schedules
see Treatment schedules
- Scilla
 treatment T565-4 [5-6-19](#)
- Scion wood cuttings
 treatment T201-m-1
 MB ("Q" label only) at NAP—tarpaulin or
 chamber [5-3-16](#)
- Scirtothrips dorsalis*
 treatment T101-b-1-1
 MB ("Q" label only) at NAP—tarpaulin or
 chamber [5-2-4](#)
- Scope of manual [1-1-2](#)
- Scrobopalpula absoluta*
 treatment T101-c-3-1
 MB at NAP—tarpaulin or chamber [5-2-43](#)
- Section 18 Exemptions
 determination of [2-5-2](#), [2-6-5](#)
 for fruits nuts and vegetables [5-2-1](#) to [5-2-2](#)
 methyl bromide fumigants [2-3-2](#) to [2-3-4](#)
 residue monitoring [4-1-1](#)
 treatment recommendations [1-1-1](#)
- Sedum
 treatment T553-1 [5-6-15](#)
- seed beetles
 seeds treatment schedule [5-3-31](#)
 vegetables treatment schedule [5-2-5](#), [5-2-21](#) to
[5-2-22](#), [5-2-32](#), [5-2-37](#), [5-2-39](#)
- seeds [5-2-27](#)
 treatment schedules [5-3-26](#) to [5-3-34](#), [5-4-7](#) to
[5-4-8](#)
- Selaginella* spp.
 treatment T202-a-1
 MB ("Q" label only) at NAP—Chamber [5-3-25](#)
- Self-contained breathing apparatus [2-10-4](#), [8-1-14](#),
[8-1-15](#), [8-1-22](#)
see also Respiratory protection
- Self-refrigerated containers
 clearance of intransit cold treatments [3-7-20](#) to
[3-7-21](#)
 initiating intransit cold treatments [3-7-17](#) to
[3-7-20](#)
- Senecio*
 treatment T553-1 [5-6-15](#)

treatment T568-1 [5-6-19](#)

Sensors

see Temperature sensors

Septoria gentinae

treatment T507-2

Remove infected leaves and treat all plants of same species in shipment with Ferbam or Cap-tan following label directions. [5-6-8](#)

Set points

requirements for hot water immersion
treatment [3-3-6](#)

Shallots

treatment T101-q-2

MB at NAP—tarpaulin or chamber [5-2-41](#)

Shelf life

effect of methyl bromide [2-3-6](#) to [2-3-8](#)

Shelled corn

treatment T302-b-1-1

Reserved [5-4-12](#)

Ship decks (metal, concrete, asphalt, or wood) [5-5-4](#)

Ship fumigation

aeration [2-6-13](#) to [2-6-14](#)

conducting the fumigation [2-6-10](#) to [2-6-12](#)

materials needed [2-6-2](#) to [2-6-3](#)

methyl bromide [2-6-1](#) to [2-6-14](#)

preparing to fumigate [2-6-4](#) to [2-6-10](#)

safety measures [2-6-3](#)

Ship holds

treatment schedules [5-5-3](#), [5-5-5](#)

Ships

intransit cold treatment [3-7-1](#) to [3-7-16](#)

treatment schedules [5-5-3](#) to [5-5-6](#)

Short term exposure limits [2-10-4](#)

Slack Associates, Inc. [6-2-4](#)

Slugs

treatment T201-l

MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-6](#)

treatment T403-a-3

MB at NAP [5-5-8](#)

Snails

cargo treatment schedules [5-5-7](#) to [5-5-10](#)

grains and seeds treatment schedules [5-4-11](#)

plants treatment schedules [5-3-12](#) to [5-3-13](#)

seeds treatment schedule [5-3-31](#)

ships treatment schedules [5-5-5](#)

Soft scales

cacti treatment schedule [5-3-4](#)

flowers and greenery treatment schedule [5-4-15](#)

orchids treatment schedule [5-3-14](#)

Soil

pests and pathogens treatment schedule [5-5-23](#)
to [5-5-25](#)

potato cyst nematode treatment schedule [5-6-4](#)

steam pressure sterilization [3-4-1](#)

Solanum

treatment T565-5 [5-6-19](#)

Sorption

of methyl bromide [2-3-5](#) to [2-3-6](#)

Spain

exemption from treatment for garlic [5-2-22](#)

Sprays [2-14-1](#)

Squash [5-2-58](#)

methyl bromide fumigation treatment

schedule [5-2-41](#)

vapor heat treatment schedules [5-2-74](#)

Steam treatments

principle [3-4-1](#)

steam jet method [3-4-2](#)

steam pressure sterilization [3-4-1](#) to [3-4-2](#)

STEL

see Short term exposure limits

Steneotarsonemus laticeps

treatment T202-i-1

MB ("Q" label only) at NAP [5-3-24](#)

Stipa tenacissima

treatment schedules [5-4-14](#)

Storerooms

treatment schedules [5-5-6](#)

Strawberries [5-2-58](#)

hot water treatment schedule [5-6-17](#), [5-6-20](#)

methyl bromide fumigation treatment

schedule [5-2-42](#)

Striga spp.

treatment T408-g-1

MB ("Q" label only) (chamber) [5-5-25](#)

Strip chart recorders

APHIS approved models [3-3-9](#)

calculating chart speed [3-7-12](#)

checking operation [3-7-6](#)

clearing shipments cold treated in transit [3-7-10](#)
to [3-7-16](#)

for intransit cold treatment of ships [3-7-3](#)

obtaining chart length [3-7-13](#)

Structure fumigation

aerating the enclosure 2-7-15 to 2-7-16
 conducting the fumigation 2-7-13 to 2-7-15
 materials needed 2-7-2 to 2-7-3
 methyl bromide 2-7-1 to 2-7-16
 preparing to fumigate 2-7-4 to 2-7-12
 safety precautions 2-7-3

Succinea horticola
 treatment schedule 5-3-12

Succulents
 treatment T201-f-1
 MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-4 to 5-3-5

Sugar beet 5-2-58

Sugarcane
 treatment schedules 5-6-11 to 5-6-12

Sulfuryl Fluoride
 threshold limit value 8-1-12

Suppliers
 reference guide to commercial suppliers H-1-1 to H-1-58

Surge protectors
 requirements for hot water immersion treatment 3-3-5

Sweet 5-2-27, 5-2-28
 bay 5-2-27, 5-2-28
 corn 5-2-58
 potatoes 5-2-58
 treatment T101-b-3-1
 MB at NAP—tarpaulin or chamber 5-2-42
 treatment T202-d
 MB ("Q" label only) at NAP 5-3-26

Systole spp.
 treatment T203-o-2
 MB ("Q" label only) in 26" vacuum 5-3-34

T

T/C units
see Thermal conductivity units
see Thermanl conductivity gas analyzers

Taeniothrips
 eucharli
 treatment T202-h
 MB in 26" vacuum 5-3-23
 simplex
 treatment T202-e-1
 MB ("Q" label only) at NAP 5-3-22

Taiwan
 mango treatment schedules 5-2-71

Tanacetum vulgare 5-2-27, 5-2-28

Tangelo 5-2-58

Tangerine 5-2-58
 including Clementine 5-2-77
 T107-b cold treatment schedule 5-2-78
 T107-d cold treatment schedule 5-2-78

Tansy 5-2-27, 5-2-28

Tarpaulin fumigation
 arranging the stack 2-4-7 to 2-4-10
 covering the stack 2-4-16
 fan operation 2-4-10
 methyl bromide
 aerating the enclosure 2-4-29 to 2-4-40
 conducting the fumigation 2-4-19 to 2-4-29
 materials needed 2-4-2 to 2-4-3
 preparing to fumigate 2-4-3 to 2-4-19
 of structures 2-7-10
 padding corners 2-4-13
 phosphine 2-10-6 to 2-10-7
 rate of sorption 2-3-5
 sealing 2-4-16, 2-10-6

Tarragan 5-2-27, 5-2-28

Tarsonemus spp.
 treatment T101-h-1
 MB at NAP—tarpaulin or chamber 5-2-6

Taxus
 treatment T201-b-1
 MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-9

Teflon tubing 2-5-5

Temperature
 effect on methyl bromide 2-3-4
 measurement of
 chamber fumigation 2-5-3
 ship fumigation 2-6-7
 structure fumigation 2-7-9
 tarpaulin fumigation 2-4-14
 using commodity or air temperature 2-5-3

Temperature recorders
 calibrating 3-7-7, 3-7-17
 for hot water immersion treatment 3-3-8 to 3-3-11
 for intransit cold treatment of ships 3-7-3
 on container vessels 3-7-8
 testing 3-7-9

Temperature recording systems
 standards for integral containers used for cold treatment 6-4-7 to 6-4-8
 standards for vessels used for intransit cold treatment 6-4-4 to 6-4-7

Temperature sensors



- calibrating 3-7-17
document preparation 3-7-7
for hot water immersion treatment 3-3-7 to 3-3-8
for intransit cold treatment of ships 3-7-3 to 3-7-6
placement of 3-7-7, 3-7-18
- Temperature set points**
requirements for hot water immersion treatment 3-3-7
- Tephritidae**
treatment schedule for seeds 5-3-34
- Termites**
cargo treatment schedules 5-5-11
wood products treatment schedules 5-5-17
- Terms and conventions** 1-1-4
- Tetranychus kanzawai*
apples treatment schedule 5-2-85
- Tetranychus viennensis*
apples treatment schedule 5-2-85
- Thailand**
asparagus treatment schedule 5-2-4
- Thermal conductivity gas analyzers**
Fumiscop and Grow-Mac
description 8-1-2 to 8-1-4
Fumiscop reading of 10 ounces per 1000 ft 8-1-8
limitations 8-1-7
maintenance 8-1-8
operational procedures 8-1-5 to 8-1-7
repair and calibration 8-1-7
standardizing the instrument 8-1-4 to 8-1-5
- Thermal conductivity units** 2-3-4, 2-4-21
see also Concentration readings
- Thermistors** 3-3-8
- Thermocouple sensors** 3-3-7, 3-3-8, 3-7-9, 3-7-15, 3-7-19
- Thermometers**
certified glass-mercury 3-3-8
- Thermostatic controls**
requirements for hot water immersion treatment 3-3-6
- Thompsonia nepalensis*
treatment T553-1 5-6-15
- Threshold limit values** 2-10-4
- Thrips* spp.
asparagus treatment schedule 5-2-3
banana treatment schedule 5-2-4
blackberry treatment schedule 5-2-6
melons treatment schedule 5-2-33
plantain treatment schedule 5-2-38
raspberry treatment schedule 5-2-41
- Thuja*
treatment T201-b-1
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-9
- Thyme** 5-2-27, 5-2-28
- Thymus* spp. 5-2-27, 5-2-28
- Tick-infested materials**
non-food treatment schedules 5-4-24 to 5-4-25
nonplant articles treatment 5-5-40
- Tigridia**
treatment T554-1-1 5-6-16
- TLV's**
see Threshold limit values
- Tobacco moth**
treatment T308-d
Kabat® (active ingredient—methoprene) is an insect growth regulator applied at the rate of 0.2 pounds (3.9 fluid ounces) per 1,000 pounds of tobacco. 5-4-20
- Tobacco, for export**
treatment schedules 5-4-19 to 5-4-20
- Tomatoes** 5-2-58
methyl bromide fumigation treatment schedule 5-2-43
vapor heat treatment schedules 5-2-75
- Tomicus piniperda*
treatment T313-b
MB ("Q" label only) at NAP—chamber or tarpaulin 5-4-27
- Toxicity of fumigant** 2-2-1
- Treatment facilities**
certifying 6-2-1, 6-3-1, 6-4-1, 6-5-1, 6-6-1, 6-7-1, 6-8-1, 6-8-4
- Treatment schedules**
adjusting exposure period 2-4-23 to 2-4-25
cold treatment 5-2-76 to 5-2-80
determining label for fumigation 5-2-2
for miscellaneous plant products 5-4-1 to 5-4-28, 5-5-1 to 5-5-47
for miscellaneous products 5-5-1 to 5-5-47
for plant pests or pathogens 5-6-1 to 5-6-20
for propagative plant material 5-3-1 to 5-3-34
fruits, nuts and vegetables 2-4-25 to 2-4-28, 5-2-1 to 5-2-86
fumigation plus refrigeration of fruits 5-2-80 to 5-2-81
high temperature forced air 5-2-51 to 5-2-56

hot water treatments 5-6-14 to 5-6-20
 irradiation 5-2-60
 methyl bromide fumigation 5-2-3 to 5-2-45
 pest specific/host variable 5-2-57 to 5-2-59
 quick freeze 5-2-85
 reporting commodity injury 5-2-1
 Section 18 Exemptions 5-2-1 to 5-2-2
 T100 5-2-1 to 5-2-86
 T200 5-3-1 to 5-3-34
 T300 5-4-1 to 5-4-28
 T400 5-5-1 to 5-5-47
 T500 5-6-1 to 5-6-20
 tarpaulin fumigation with methyl bromide 2-4-3
 vapor heat 5-2-69 to 5-2-73, 5-2-74
 water treatment schedules 5-2-46 to 5-2-51

Trees, Christmas
 treatment schedules 5-4-26
 treatment T501-5
 Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bordeaux dip or spray. 5-6-3

Trigonella foenumgraecum 5-2-27

Trogoderma granarium
 aircraft treatment schedules 5-5-26
 bags treatment schedule 5-4-16
 brassware treatment schedules 5-5-41
 cargo treatment schedules 5-5-11
 cottonseed treatment schedules 5-4-2 to 5-4-4
 grains and seeds treatment schedules 5-4-9
 railroad cars treatment schedules 5-5-2
 seeds treatment schedule 5-3-31
 ships treatment schedule T402-b-3-2 5-5-3
 ships treatment schedules 5-5-6
 wood products treatment schedules 5-5-18

Tropeolum majus 5-2-27, 5-2-28

Tuberose
 treatment T565-5 5-6-19

Tubers
 treatment schedules 5-3-20 to 5-3-21

Tuna 5-2-58
 Opuntia
 treatment T101-e-3
 MB at NAP—tarpaulin or chamber 5-2-44

Turnips 5-2-58
 treatment T101-g-1
 MB chamber, 15" vacuum—chamber 5-2-44

Tydaea
 treatment T553-1 5-6-15

Type T thermocouple sensors 3-7-9, 3-7-15, 3-7-19

U

U.S. Department of Agriculture 3-3-2 to 3-3-4

U.S. Department of Transportation
 compressed air specifications 8-1-22

Umbelliferae
 treatment T203-o-2
 MB ("Q" label only) in 26" vacuum 5-3-34

United States
 citrus treatment schedule 5-2-18

Updating the manual
 Appendix 10 C-1-1 to C-1-5

USDA
 see U.S. Department of Agriculture

Use of manual 1-1-3

U-tube manometer
 see Open arm manometer

V

Vacuum fumigation
 of plants 5-3-14

Vacuum Fumigation chambers
 accessories 6-2-3
 aeration of 2-5-4
 chamber 6-2-1
 circulation and exhaust system 6-2-2
 fumigant introduction systems 6-2-2
 manufacturers 6-2-4
 performance standards 6-2-3
 vacuum pump 6-2-2

Vacuum Pump 8-1-30

Vanilla 5-2-27, 5-2-28

Vanillia
 planifolia 5-2-27, 5-2-28

Vapor heat treatment
 principle 3-5-1
 procedures 3-5-2 to 3-5-3
 safeguards 3-5-3
 schedules 3-5-1, 5-2-69 to 5-2-73, 5-2-74

Vegetables
 adjusting exposure period 2-4-25 to 2-4-28
 aerating 2-4-29 to 2-4-30
 determining temperature for proper dosage rate 2-4-15

methyl bromide fumigation treatment
 schedules [5-2-3 to 5-2-45](#)
 pest specific/host variable treatment
 schedules [5-2-57 to 5-2-59](#)
 quick freeze treatment schedules [5-2-85](#)
 reporting commodity injury [5-2-1](#)
see also specific vegetables by name
 vapor heat treatment schedules [5-2-69 to 5-2-73](#),
[5-2-74](#)
 water treatment schedules [5-2-46 to 5-2-51](#)

Velometer [8-1-27](#)

Verbena
 treatment T553-1
 Hot water at 118°F for 30 minutes. [5-6-15](#)

Veronicellidae
 treatment T201-l
 MB ("Q" label only) at NAP—tarpaulin or
 chamber [5-3-6](#)

Verticillium albo-atrum
 treatment T520-1-1
 Dust with 75 percent Thiram at the rate of 166
 grams per 50 kilograms of seed (3.3g/
 kg). [5-6-14](#)

Vessels
 used for intransit cold treatment [6-4-2 to 6-4-7](#)

Vetch seeds
 treatment T203-d-1
 MB ("Q" label only) at NAP [5-3-35](#)

Vicia spp.
 treatment T203-d-1
 MB ("Q" label only) at NAP [5-3-35](#)

Vine moth
 treatment schedule [5-2-23 to 5-2-24](#)

Vinsonia spp.
 treatment T201-d-3
 MB ("Q" label only) in 15" vacuum [5-3-14](#)

Vitis
 treatment T553-1 [5-6-15](#)

Viviparidae
 treatment T201-q [5-3-3](#)

Volatilizer
 description and use [8-1-24](#)
 liquid fumigant vaporizer [8-1-26](#)
 methyl bromide volatilizer coil [8-1-25](#)

Volume measurement
 ship fumigation [2-6-9](#)
 structure fumigation [2-7-10](#)
 tarpaulin fumigation [2-4-17](#)

W

Warehouses
 clearance of the cold treated fruit [3-7-21](#)
 initiating the cold treatment [3-7-17 to 3-7-20](#)
 used for cold treatment [6-4-8 to 6-4-9](#)

Waste
 treatment schedules [5-4-5](#)

Water circulation system
 requirements for hot water immersion
 treatment [3-3-7](#)

Water heating capacity
 requirements for hot water immersion
 treatment [3-3-6](#)

Water Spray
 treatment schedule for plants [5-3-12](#)

Water treatment schedules [5-2-46 to 5-2-51](#)

Watermelon [5-2-58](#)

Weed seeds
 treatment schedules [5-5-40 to 5-5-41](#)

Weevils
 treatment T302-g-1
 MB at NAP—tarpaulin, chamber, or van
 container [5-4-8](#)

Weigela
 treatment T553-1 [5-6-15](#)

Western cherry fruit fly
see also Fruit flies
 treatment schedule [5-2-15](#)

Wheat
 treatment schedules for flag smut [5-6-6](#)

Wheat bug
 treatment T101-m-2
 MB at NAP—tarpaulin or chamber [5-2-29](#)

White Zapote
 T107-b cold treatment schedule [5-2-78](#)

Wild marjoram [5-2-27](#), [5-2-28](#)

Winter [5-2-27](#)

Wintergreen [5-2-27](#), [5-2-28](#)

Wire sensors [3-7-9](#), [3-7-19](#)

Wiring
 requirements for hot water immersion
 treatment [3-3-5](#)

Witchweed
treatment T408-g-1
MB ("Q" label only) (chamber) 5-5-25

Wood borers
treatment T403-d
see T404 schedules 5-5-11

Wood products
treatment schedules 5-5-13 to 5-5-18

Wood surfaces
treatment schedules 5-5-13 to 5-5-14
treatment T402-b-3-1
Malathion spray at 2 gal/1,000 ft² or to the
point of runoff. 5-5-3

Wood wasps
treatment schedules for wood 5-5-13

Wooden boxes
aeration for fumigation 2-3-5

Woodruff 5-2-27, 5-2-28

Work plans
hot water immersion treatment 3-3-16

Wormwood 5-2-27, 5-2-28

X

Xanthomona
albilineans

treatment schedules 5-6-11
vasculorum
treatment schedules 5-6-11

Y

Yams 5-2-58
treatment schedules 5-2-44, 5-3-26

Yellow peach moth
apples treatment schedule 5-2-85

Yucca
treatment T101-n-1
MB at NAP—tarpaulin or chamber 5-2-12

Z

Zantedeschia
treatment T553-1 5-6-15

Zingiberaceae
treatment T553-1 5-6-15

Zoecon Corporation 5-4-20

Zucchini 5-2-58
methyl bromide fumigation 5-2-45
vapor heat treatment schedules 5-2-75